



William Hackett

Lifting Products Limited



CHAIN SLING SYSTEMS

Contents

Grade 8 Chain Sling System	1	Grade 8 Chain Sling System - HACK8	35
Working Load Limits	2	Master Link	36
Working Load Limits Special Applications	3	Sub Assembly	37
Master Link	4	Component Connector	38
Sub Assembly	5	Clevis Sling Hook with Latch	39
Grade 8 Lifting Chain	6	Clevis Self Locking Hook	40
Component Connector	7	Eye Grab Hook	41
Eye Grab Hook	8	Reevable Egg Link	42
Clevis Grab Hook	9	Clevis C Hook	43
Shortening Clutch	10	Omega Link	44
Reevable Egg Link	11	Grade 10 Chain Sling Systems	45
Clevis Clutch	12	Working Load Limits	46
Clevis C Hook	13	Working Load Limits Special Applications	47
Clevis Shackle	14	Master Link	48
Eye Sling Hook With Latch	15	Sub Assembly	49
Clevis Sling Hook	16	Grade 10 Lifting Chain - 200° Temper	50
Swivel Sling Hook With Ball Bearing	17	Component Connector	51
Eye Self Locking Hook	18	Eye Grab Hook	52
Clevis Self Locking Hook	19	Reevable Link	53
Swivel Self Locking Hook With Ball Bearing	20	Eye Sling Hook With Latch	54
Bolt On Lifting Point	21	Clevis Sling Hook With Latch	55
Weld On Lifting Point	22	Eye Self Locking Hook	56
Weld On Super Point	23	Clevis Self Locking Hook	57
Barrel Hook	24	Swivel Self Locking Hook with Ball Bearing	58
Clevis Skip Hook With Spring Gate	25	Clevis Foundry Hook	59
Excavator Weld On Hook	26	Clevis Shackle	60
Eye Container Hook	27	Chain Sling Tags	61
Insulated Blank Swivels	28	Latch Kits To Suit Sling Hooks	61
Coupling Sling Hook	29	Trigger Kits To Suit Self Locking Hooks	61
Round Sling Coupling	30	Coupling Pin & Sleeve Set	61
Half Coupling Link	31	Load Pin Kit	61
Coupling Self Locking Hook	32	William Hackett Sling App	62
Chain Sling Tags	33	Lashing Equipment	63
Chain Tags	33	Lashing Chain	64
Latch Kits to suit Clevis & Eye Sling Hooks	33	Ratchet Loadbinder	65
Latch Kits to suit Swivel Sling Hooks	33	Clevis Grab Hook	65
Load Pin Kit	33	Clevis Sling Hook with Latch	66
Trigger Kits to suit Self Locking Hooks	34	Clevis Sling Hook no Latch	66
Latch Kits to suit Weld On Hook	34	Weld On 'D' Ring	67
Coupling Pin & Sleeve Set	34	Terms & Conditions	68
Clutch Load Pin Kit	34		

PRODUCT SUPPORT: William Hackett is fully committed to providing its customers with technical and service support through the product lifecycle, including the availability of spares and replacement components.

All statements, technical information, advice and recommendations contained within this brochure are given in good faith and believed to be reliable, although no guarantee is given as to their accuracy and/or completeness. The user of our products must determine the suitability of the products for their own particular purpose, either alone or in combination with other products and shall assume all risk and liability in connection with those decisions. Whilst every effort has been made to ensure accuracy and completeness in relation to the content of tables, the information contained does not form any part of any contract.

Details of William Hackett's full Terms and Conditions of business are available at: https://www.williamhackett.co.uk/en-gb/about/hackett_terms_and_conditions

Please consider the environment when it comes to disposing of this brochure. Please recycle when you are finished with this item. For more information please visit: www.recycle-more.co.uk




William Hackett

Grade 8
CHAIN SLING
SYSTEMS



Grade 8 Working Load Limits

Uniform Load Method of Rating BSEN 818-4



Chain Size mm	Single Leg	Endless	Two Leg		Three & Four Leg	
			0-45°	45-60°	0-45°	45-60°
7	1.50	2.50	2.10	1.50	3.15	2.20
8	2.00	3.10	2.80	2.00	4.20	3.00
10	3.15	5.00	4.25	3.15	6.70	4.75
13	5.30	8.50	7.50	5.30	11.20	8.00
16	8.00	12.50	11.20	8.00	17.00	11.80
20	12.50	20.00	17.00	12.50	26.50	19.00
22	15.00	23.60	21.20	15.00	31.50	22.40
26	21.20	33.50	30.00	21.20	45.00	31.50
32	31.50	50.00	45.00	31.50	67.00	47.50

All Working Load Limits (WLL) shown in Tonnes (t).

Single Leg Chain Slings

Basket Hitch (back hooked into top link)

The WLL will be the WLL for single leg slings.



Reeveable Collar Sling

The WLL will be 1.4 x the WLL for single leg slings.



Choke Hitch

The WLL will be 0.8 x the WLL for single leg slings.



Two Leg Chain Slings

Choke Hitch

The WLL will be 0.8 x the WLL for a two leg sling.



Double Basket

The WLL will be the WLL for a two leg sling.



Three & Four Leg Chain Slings


Choke Hitch

The WLL will be 0.8 x the WLL for 3 & 4 leg slings.




Double Basket

The WLL will be the WLL for 3 & 4 leg slings.



Material: Alloy Steel
 Intl. Standard: EN1677-4
 Paint Finish: Blue



Metric Specifications

Part Code	Description	Chain Size mm Single	Chain Size mm Double	WLL t	Mass kg
X-003-0806	MA0806ML	6, 7 & 8	6	2.8	0.47
X-003-1008	MA1008ML	10	7 & 8	4.2	0.72
X-003-1310	MA1310ML	13	10	6.7	1.50
X-003-1613	MA1613ML	16	13	11.8	3.00
X-003-2016	MA2016ML	20	16	17.0	5.10
330.360+	HA36ML OS+	22	20	26.0	6.46
330.400+	HA40ML OS+	26	22	30.5	8.46
330.450+	HA45ML OS+	32	26	40.0	12.18
330.500+	HA50ML OS+	36	32	51.0	16.54

Overize Master Links

330.220+	HA22ML OS+	-	10	7.00	2.28
330.250+	HA25ML OS+	16	13	9.30	3.11

Metric Dimensions

Part Code	Description	A mm	B mm	C mm
X-003-0806	MA0806ML	14.5	125	60
X-003-1008	MA1008ML	16.0	150	75
X-003-1310	MA1310ML	22.0	162	90
X-003-1613	MA1613ML	28.0	200	110
X-003-2016	MA2016ML	32.0	270	140
330.360+	HA36ML OS+	36.0	270	140
330.400+	HA40ML OS+	40.0	280	155
330.450+	HA45ML OS+	45.0	320	175
330.500+	HA50ML OS+	50.0	350	195

Overize Master Links

330.220+	HA22ML OS+	22.0	270	140
330.250+	HA25ML OS+	25.0	270	140

Imperial Specifications

Part Code	Description	Chain Size inch Single	Chain Size inch Double	WLL lbs	Mass lbs
X-003-0806	MA0806ML	1/4 - 5/16	1/4	6172	1.04
X-003-1008	MA1008ML	3/8	9/32 - 15/16	9259	1.59
X-003-1310	MA1310ML	1/2	3/8	14770	3.30
X-003-1613	MA1613ML	5/8	1/2	26014	6.60
X-003-2016	MA2016ML	3/4	5/8	37478	11.24
330.360+	HA36ML OS+	7/8	3/4	57320	14.24
330.400+	HA40ML OS+	1	7/8	67240	18.65
330.450+	HA45ML OS+	1-1/4	1	88184	26.85
330.500+	HA50ML OS+	1-27/64	1-1/4	112435	36.46

Overize Master Links

330.220+	HA22ML OS+	-	3/8	15432	5.02
330.250+	HA25ML OS+	5/8	1/2	20502	6.85



Imperial Dimensions

Part Code	Description	A inch	B inch	C inch
X-003-0806	MA0806ML	0.57	4.92	2.36
X-003-1008	MA1008ML	0.63	5.90	2.95
X-003-1310	MA1310ML	0.86	6.37	3.54
X-003-1613	MA1613ML	1.10	7.87	4.33
X-003-2016	MA2016ML	1.26	10.63	5.51
330.360+	HA36ML OS+	1.41	10.63	5.51
330.400+	HA40ML OS+	1.57	11.00	6.10
330.450+	HA45ML OS+	1.77	12.60	6.89
330.500+	HA50ML OS+	1.97	13.78	7.67

Overize Master Links

330.220+	HA22ML OS+	0.88	10.63	5.51
330.250+	HA25ML OS+	0.98	10.63	5.51

Material: Alloy Steel
 Intl. Standard: EN1677-4
 Paint Finish: Blue



Metric Specifications

Part Code	Description	Chain Size mm	WLL t	Mass kg
X-007-06	MA06SA	6	4.2	1.62
X-007-08	MA08SA	7 & 8	5.3	2.84
X-007-10	MA10SA	10	8.4	5.89
X-007-13	MA13SA	13	14.0	7.96
X-007-16	MA16SA	16	21.0	12.40
350.400+	HA40QA OS+	20	30.5	18.50
350.450+	HA45QA OS+	22	40.0	25.09
350.500+	HA50QA OS+	26	51.0	40.89
350.650+	HA65QA OS+	32	75.0	66.10

Oversize Sub Assemblies

350.250+	HA25QA OS+	10	9.30	6.05
----------	------------	----	------	------

Metric Dimensions

Part Code	Description	Chain Size mm	A mm	B mm	C mm	D mm	E mm	F mm
X-007-06	MA06SA	6	16	150	75	14.5	125	60
X-007-08	MA08SA	7 & 8	22	162	90	16.0	150	75
X-007-10	MA10SA	10	28	200	110	22.0	162	90
X-007-13	MA13SA	13	32	270	140	22.0	162	90
X-007-16	MA16SA	16	36	270	140	28.0	200	110
350.400+	HA40QA OS+	20	40	280	155	32.0	270	140
350.450+	HA45QA OS+	22	45	320	175	36.0	270	140
350.500+	HA50QA OS+	26	50	350	195	45.0	320	175
350.650+	HA65QA OS+	32	65	410	220	50.0	350	195

Oversize Sub Assemblies

350.250+	HA25QA OS+	10	25	270	140	20	140	70
----------	------------	----	----	-----	-----	----	-----	----

Imperial Specifications

Part Code	Description	Chain Size inch	WLL lbs	Mass lbs
X-007-06	MA06SA	1/4	9259	3.57
X-007-08	MA08SA	1/4 - 5/16	11684	6.26
X-007-10	MA10SA	3/8	18518	12.99
X-007-13	MA13SA	1/2	30864	17.55
X-007-16	MA16SA	5/8	46297	27.34
350.400+	HA40QA OS+	3/4	67240	40.78
350.450+	HA45QA OS+	7/8	88184	55.31
350.500+	HA50QA OS+	1	112435	90.14
350.650+	HA65QA OS+	1-17/64	165347	145.73

Oversize Sub Assemblies

350.250+	HA25QA OS+	3/8	20502	13.33
----------	------------	-----	-------	-------

Imperial Dimensions

Part Code	Description	Chain Size inch	A inch	B inch	C inch	D inch	E inch	F inch
X-007-06	MA06SA	0.24	0.63	5.90	2.95	0.57	4.92	2.36
X-007-08	MA08SA	0.28 - 0.31	0.86	6.37	3.54	0.63	5.90	2.95
X-007-10	MA10SA	0.39	1.10	7.87	4.33	0.86	6.37	3.54
X-007-13	MA13SA	0.51	1.26	10.63	5.51	0.86	6.37	3.54
X-007-16	MA16SA	0.63	1.41	10.63	5.51	1.10	7.87	4.33
350.400+	HA40QA OS+	0.79	1.57	11.00	6.10	1.26	10.63	5.51
350.450+	HA45QA OS+	0.87	1.77	12.60	6.89	1.41	10.63	5.51
350.500+	HA50QA OS+	1.02	1.97	13.78	7.67	1.77	12.60	6.89
350.650+	HA65QA OS+	1.25	2.56	16.14	8.66	1.97	13.78	7.67

Oversize Sub Assemblies


350.250+	HA25QA OS+	3/8	0.98	10.63	5.51	0.79	5.51	2.76
----------	------------	-----	------	-------	------	------	------	------

Grade 8 Lifting Chain

Material: Grade 8 Alloy Steel

Intl. Standard: EN818-2

Paint Finish: Black



Metric Specifications

Part Code	Chain Size mm	WLL t	Kgs per metre	Metres per drum
AS1.070.5	7	1.50	1.10	500
AS1.080.5	8	2.00	1.50	350
AS1.100.5	10	3.15	2.20	250
AS1.130.5	13	5.30	3.80	150
AS1.160.5	16	8.00	5.80	100
AS1.200.5	20	12.50	9.10	60
AS1.220.5	22	15.00	11.00	50
AS1.260.5	26	21.20	15.30	30
AS1.320.5	32	31.50	23.20	25

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm
AS1.070.5	7	7	21	25.9
AS1.080.5	8	8	24	29.6
AS1.100.5	10	10	30	37.0
AS1.130.5	13	13	39	48.1
AS1.160.5	16	16	48	59.2
AS1.200.5	20	20	60	74.0
AS1.220.5	22	22	66	81.4
AS1.260.5	26	26	78	96.2
AS1.320.5	32	32	96	118.0

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	lbs per ft	feet per drum
AS1.070.5	1/4	3300	0.74	1640
AS1.080.5	5/16	4410	1.00	1148
AS1.100.5	3/8	6940	1.48	820
AS1.130.5	1/2	11680	2.55	492
AS1.160.5	5/8	17635	3.89	328
AS1.200.5	3/4	27555	6.11	196
AS1.220.5	7/8	33070	7.39	164
AS1.260.5	1	46740	10.28	98
AS1.320.5	1-1/4	69445	15.59	82

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch
AS1.070.5	1/4	0.27	0.83	1.02
AS1.080.5	5/16	0.31	0.94	1.17
AS1.100.5	3/8	0.39	1.18	1.46
AS1.130.5	1/2	0.51	1.54	1.90
AS1.160.5	5/8	0.63	1.89	2.33
AS1.200.5	3/4	0.79	2.36	2.91
AS1.220.5	7/8	0.87	2.60	3.20
AS1.260.5	1	1.00	3.07	3.79
AS1.320.5	1-1/4	1.25	3.78	4.65


Temperature of Chain	Reduction in load Limit ¹ while heated	Permanent Reduction in Working Load Limit ²
-40°C - 200°C	None	None
over 200°C to 300°C	10%	None
over 300°C to 400°C	25%	None
over 400°C	DO NOT USE	

Larger sizes available on request.

Grade 8 Component Connector



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-015-07	7, 8	2.00	150	0.20
8-015-10	10	3.15	50	0.30
8-015-13	13	5.30	35	0.70
8-015-16	16	8.00	20	1.10
8-015-20	20	12.50	10	1.90
8-015-22	22	15.00	6	3.00
8-015-26	26	21.20	3	5.00
8-015-32	32	31.50	2	9.00

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	D mm	K mm
8-015-07	7, 8	18	22	9	57
8-015-10	10	25	26	11	68
8-015-13	13	30	35	16	91
8-015-16	16	36	38	19	100
8-015-20	20	42	46	22	122
8-015-22	22	49	59	24	152
8-015-26	26	55	62	30	162
8-015-32	32	69	79	36	202

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-015-07	1/4 - 5/16	4500	150	0.40
8-015-10	3/8	7100	50	0.70
8-015-13	1/2	12000	35	1.50
8-015-16	5/8	18100	20	2.40
8-015-20	3/4	28300	10	4.20
8-015-22	7/8	34200	6	6.60
8-015-26	1	47700	3	10.40
8-015-32	1-1/4	72300	2	19.40



Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	K inch
8-015-07	1/4 - 5/16	0.71	0.89	0.35	2.25
8-015-10	3/8	0.99	1.06	0.50	2.68
8-015-13	1/2	1.19	1.38	0.62	3.58
8-015-16	5/8	1.42	1.51	0.75	3.94
8-015-20	3/4	1.65	1.81	0.87	4.80
8-015-22	7/8	1.93	2.32	0.94	5.98
8-015-26	1	2.17	2.44	1.19	6.38
8-015-32	1-1/4	2.72	3.11	1.42	7.96

Grade 8 Eye Grab Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-041-07	7, 8	2.00	80	0.30
8-041-10	10	3.15	40	0.60
8-041-13	13	5.30	12	1.40
8-041-16	16	8.00	10	2.30
8-041-20	20	12.50	6	3.90
8-041-22	22	15.00	5	4.70
8-041-26	26	21.20	2	9.90
8-041-32	32	31.50	1	21.40

Metric Dimensions

Part Code	Chain Size mm	A mm	F mm	G mm	K mm	P mm
8-041-07	7, 8	15	30	9	60	10
8-041-10	10	20	41	13	84	13
8-041-13	13	25	52	15	102	16
8-041-16	16	30	57	20	114	20
8-041-20	20	36	73	24	132	23
8-041-22	22	38	70	26	165	26
8-041-26	26	41	100	32	187	29
8-041-32	32	61	127	40	230	37

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-041-07	1/4 - 5/16	4500	80	0.70
8-041-10	3/8	7100	40	1.30
8-041-13	1/2	12000	12	3.10
8-041-16	5/8	18100	10	4.90
8-041-20	3/4	28300	6	8.40
8-041-22	7/8	34200	5	10.10
8-041-26	1	47700	2	22.70
8-041-32	1-1/4	72300	1	44.10



Imperial Dimensions

Part Code	Chain Size inch	A inch	F inch	G inch	K inch	P inch
8-041-07	1/4 - 5/16	0.59	1.18	0.35	2.36	0.39
8-041-10	3/8	0.79	1.61	0.51	3.22	0.51
8-041-13	1/2	0.98	2.05	0.59	4.02	0.63
8-041-16	5/8	1.18	2.24	0.79	5.16	0.79
8-041-20	3/4	1.49	2.87	0.91	5.75	0.91
8-041-22	7/8	1.50	2.76	1.02	6.42	1.02
8-041-26	1	1.81	3.94	1.26	8.07	1.14
8-041-32	1-1/4	2.28	5.00	1.61	10.51	1.53

Grade 8 Clevis Grab Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-042-07	7, 8	2.00	70	0.30
8-042-10	10	3.15	30	0.80
8-042-13	13	5.30	15	1.60
8-042-16	16	8.00	8	2.80
8-042-20	20	12.50	4	4.80

Metric Dimensions

Part Code	Chain Size mm	A mm	F mm	H mm	K mm	L mm	P mm
8-042-07	7, 8	9	30	25	55	93	10
8-042-10	10	12	41	35	77	128	13
8-042-13	13	15	53	42	97	152	16
8-042-16	16	17	58	45	102	180	20
8-042-20	20	23	98	54	124	217	23

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-042-07	1/4 - 5/16	4500	70	0.70
8-042-10	3/8	7100	30	1.80
8-042-13	1/2	12000	15	3.50
8-042-16	5/8	18100	8	6.20
8-042-20	3/4	28300	4	11.00



Imperial Dimensions

Part Code	Chain Size inch	A inch	F inch	H inch	K inch	L inch	P inch
8-042-07	1/4 - 5/16	0.35	1.18	0.98	2.17	3.66	0.39
8-042-10	3/8	0.47	1.61	1.38	3.03	5.04	0.51
8-042-13	1/2	0.59	2.09	1.65	3.82	5.98	0.63
8-042-16	5/8	0.67	2.22	1.77	4.47	7.66	0.79
8-042-20	3/4	0.91	3.86	2.13	4.88	8.54	0.91

Grade 8 Shortening Clutch



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-078-07	7, 8	2.00	30	0.70
8-078-10	10	3.15	15	1.30
8-078-13	13	5.30	8	2.80
8-078-16	16	8.00	4	5.30

Metric Dimensions

Part Code	Chain Size mm	A mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm
8-078-07	7, 8	12	20	10	23	70	9	22	128
8-078-10	10	13	26	12	29	87	11	26	154
8-078-13	13	15	33	16	37	115	15	36	203
8-078-16	16	21	39	19	46	143	19	39	248

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-078-07	1/4 - 5/16	4500	30	1.50
8-078-10	3/8	7100	15	2.90
8-078-13	1/2	12000	8	6.20
8-078-16	5/8	18100	4	11.70

Imperial Dimensions

Part Code	Chain Size inch	A inch	C inch	D inch	E inch	F inch	G inch	H inch	K inch
8-078-07	1/4 - 5/16	0.47	0.79	0.39	0.91	2.76	0.89	0.35	5.04
8-078-10	3/8	0.51	1.02	0.47	1.14	3.43	1.06	0.50	6.06
8-078-13	1/2	0.59	1.30	0.63	1.46	4.53	1.38	0.62	7.99
8-078-16	5/8	0.83	1.54	0.75	1.81	5.63	1.51	0.75	9.76

Grade 8 Reeveable Egg Link

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-059-07	7, 8	2.00	40	0.40
8-059-10	10	3.15	20	0.80
8-059-13	13	5.30	10	1.50
8-059-16	16	8.00	8	2.40

Metric Dimensions

Part Code	Chain Size mm	A mm	G mm	H mm	K mm	L mm	T mm
8-059-07	7, 8	9	65	15	99	80	15
8-059-10	10	11	80	18	125	100	19
8-059-13	13	14	108	22	168	136	25
8-059-16	16	18	124	26	198	158	27

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-059-07	1/4 - 5/16	4500	40	0.90
8-059-10	3/8	7100	20	1.80
8-059-13	1/2	12000	10	3.30
8-059-16	5/8	18100	8	5.30



Imperial Dimensions

Part Code	Chain Size inch	A inch	G inch	H inch	K inch	L inch	T inch
8-059-07	1/4 - 5/16	0.35	2.56	0.59	3.90	3.15	0.59
8-059-10	3/8	0.43	3.15	0.71	4.92	3.94	0.75
8-059-13	1/2	0.55	4.25	0.87	6.62	5.35	0.98
8-059-16	5/8	0.71	4.88	1.02	7.80	6.50	1.07

Grade 8 Clevis Clutch



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-060-07	7, 8	2.00	50	0.40
8-060-10	10	3.15	21	1.00
8-060-13	13	5.30	10	2.00
8-060-16	16	8.00	6	3.20

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm	D mm	E mm	F mm
8-060-07	7, 8	8	9	10	9	16	62
8-060-10	10	12	12	14	12	25	87
8-060-13	13	16	17	17	15	32	115
8-060-16	16	20	20	19	19	39	143

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-060-07	1/4 - 5/16	4500	50	1.10
8-060-10	3/8	7100	21	2.20
8-060-13	1/2	12000	10	4.40
8-060-16	5/8	18100	6	7.10


Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch	D inch	E inch	F inch
8-060-07	1/4 - 5/16	0.34	0.34	0.39	0.35	0.63	2.44
8-060-10	3/8	0.49	0.49	0.55	0.47	0.98	3.43
8-060-13	1/2	0.65	0.65	0.67	0.59	1.26	4.53
8-060-16	5/8	0.81	0.81	0.75	0.75	1.54	5.63

Grade 8 Clevis C Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-097-07	7, 8	2.00	35	0.50
8-097-10	10	3.15	15	0.90
8-097-13	13	5.30	8	2.10
8-097-16	16	8.00	4	3.80

Metric Dimensions

Part Code	Chain Size mm	A mm	K mm	P mm	T mm	H mm
8-097-07	7, 8	9	80	19	18	22
8-097-10	10	11	105	26	24	26
8-097-13	13	14	138	34	32	34
8-097-16	16	18	170	38	37	45

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-097-07	1/4 - 5/16	4500	35	1.10
8-097-10	3/8	7100	15	2.00
8-097-13	1/2	12000	8	4.60
8-097-16	5/8	18100	4	8.30


Imperial Dimensions

Part Code	Chain Size inch	A inch	K inch	P inch	T inch	H inch
8-097-07	1/4 - 5/16	0.35	3.15	0.75	0.71	0.87
8-097-10	3/8	0.43	4.13	1.02	0.94	1.02
8-097-13	1/2	0.55	5.43	1.34	1.26	1.34
8-097-16	5/8	0.71	6.69	1.50	1.46	1.77

Grade 8 Clevis Shackle



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-066-07	7, 8	2.00	35	0.40
8-066-10	10	3.15	20	0.80
8-066-13	13	5.30	18	1.40
8-066-16	16	8.00	10	2.40

Metric Dimensions

Part Code	Chain Size mm	A mm	C mm	G mm	K mm	L mm	M mm	W mm
8-066-07	7, 8	9	79	34	59	35	16	33
8-066-10	10	11	93	40	78	48	20	34
8-066-13	13	14	118	44	98	64	22	49
8-066-16	16	18	141	54	112	69	28	60

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-066-07	1/4 - 5/16	4500	35	0.90
8-066-10	3/8	7100	20	1.80
8-066-13	1/2	12000	18	3.10
8-066-16	5/8	18100	10	5.50

Imperial Dimensions

Part Code	Chain Size inch	A inch	C inch	G inch	K inch	L inch	M inch	W inch
8-066-07	1/4 - 5/16	0.35	3.11	1.34	2.32	1.38	0.63	1.30
8-066-10	3/8	0.43	3.66	1.57	3.07	1.89	0.79	1.46
8-066-13	1/2	0.55	4.65	1.73	3.86	2.52	0.87	1.93
8-066-16	5/8	0.71	5.55	2.13	4.41	2.72	1.10	2.36

Grade 8 Eye Sling Hook with Latch

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-2
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-044/S-07	7, 8	2.00	30	0.50
8-044/S-10	10	3.15	20	1.00
8-044/S-13	13	5.30	10	1.70
8-044/S-16	16	8.00	6	3.20
8-044/S-20	20	12.50	4	5.50
8-044/S-22	22	15.00	2	9.00
8-044/S-26	26	21.20	2	13.50
8-044/S-32	32	31.50	1	20.00

Metric Dimensions

Part Code	Chain Size mm	A mm	D mm	H mm	K mm	P1 mm	T mm
8-044/S-07	7, 8	25	11	23	98	28	20
8-044/S-10	10	32	14	31	121	36	23
8-044/S-13	13	40	18	38	152	40	28
8-044/S-16	16	50	22	47	184	44	32
8-044/S-20	20	60	26	48	218	45	43
8-044/S-22	22	50	31	62	244	73	50
8-044/S-26	26	64	35	80	279	77	60
8-044/S-32	32	88	40	86	352	114	65

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-044/S-07	1/4 - 5/16	4500	30	1.10
8-044/S-10	3/8	7100	20	2.00
8-044/S-13	1/2	12000	10	4.20
8-044/S-16	5/8	18100	6	7.10
8-044/S-20	3/4	28300	4	12.60
8-044/S-22	7/8	34200	2	20.10
8-044/S-26	1	47700	2	30.00
8-044/S-32	1-1/4	72300	1	41.20


Imperial Dimensions

Part Code	Chain Size inch	A inch	D inch	H inch	K inch	P1 inch	T inch
8-044/S-07	1/4 - 5/16	0.98	0.43	0.91	3.86	1.18	0.75
8-044/S-10	3/8	1.26	0.59	1.22	4.76	1.42	0.91
8-044/S-13	1/2	1.57	0.71	1.50	5.98	1.69	1.10
8-044/S-16	5/8	1.97	0.87	1.85	7.20	1.85	1.29
8-044/S-20	3/4	2.36	1.06	1.89	8.54	1.77	1.69
8-044/S-22	7/8	2.01	1.26	2.44	9.45	2.75	1.97
8-044/S-26	1	2.60	1.34	3.15	10.63	3.15	2.36
8-044/S-32	1-1/4	3.50	1.57	3.39	13.86	4.49	2.56

Grade 8 Clevis Sling Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-2
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-043/S-07	7, 8	2.00	30	0.60
8-043/S-10	10	3.15	15	1.20
8-043/S-13	13	5.30	8	2.30
8-043/S-16	16	8.00	6	3.70
8-043/S-20	20	12.50	4	6.50

Metric Dimensions

Part Code	Chain Size mm	A mm	H mm	K mm	P1 mm	T mm
8-043/S-07	7, 8	9	22	98	27	18
8-043/S-10	10	11	29	121	34	23
8-043/S-13	13	14	37	147	44	30
8-043/S-16	16	18	42	166	48	39
8-043/S-20	20	21	50	200	56	47

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-043/S-07	1/4 - 5/16	4500	30	1.30
8-043/S-10	3/8	7100	15	2.60
8-043/S-13	1/2	12000	8	5.10
8-043/S-16	5/8	18100	6	8.40
8-043/S-20	3/4	28300	4	14.80

Imperial Dimensions

Part Code	Chain Size inch	A inch	H inch	K inch	P1 inch	T inch
8-043/S-07	1/4 - 5/16	0.35	0.91	3.74	1.18	0.75
8-043/S-10	3/8	0.43	1.14	4.72	1.42	0.91
8-043/S-13	1/2	0.55	1.50	5.79	1.73	1.10
8-043/S-16	5/8	0.71	1.65	6.65	1.81	1.54
8-043/S-20	3/4	0.83	2.01	7.87	2.20	1.85

Grade 8 Swivel Sling Hook with Ball Bearing

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-2
 Paint Finish: Yellow



This hook is designed to fully swivel while in use lifting a load.

Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-049N-07	7, 8	2.00	20	0.90
8-049N-10	10	3.15	8	1.60
8-049N-13	13	5.30	6	3.40
8-049N-16	16	8.00	4	5.10
8-049N-20	20	12.50	2	9.50

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	D mm	H mm	K mm	P mm	T mm
8-049N-07	7, 8	36	27	12	22	155	26	18
8-049N-10	10	41	37	16	29	189	36	23
8-049N-13	13	46	40	21	35	233	42	28
8-049N-16	16	60	50	22	44	280	50	35
8-049N-20	20	74	82	25	65	356	56	49

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-049N-07	1/4 - 5/16	4500	20	2.00
8-049N-10	3/8	7100	8	3.50
8-049N-13	1/2	12000	6	7.50
8-049N-16	5/8	18100	4	11.70
8-049N-20	3/4	28300	2	20.50

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	H inch	K inch	P inch	T inch
8-049N-07	1/4 - 5/16	1.42	1.06	0.51	0.87	6.10	1.02	0.71
8-049N-10	3/8	1.63	1.46	0.62	1.14	7.44	1.42	0.91
8-049N-13	1/2	1.81	1.57	0.83	1.38	9.17	1.65	1.10
8-049N-16	5/8	2.36	1.97	0.91	1.73	11.02	1.97	1.38
8-049N-20	3/4	2.91	3.23	1.02	2.56	14.00	2.20	1.91

Grade 8 Eye Self Locking Hook

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-3
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-025-07	7, 8	2.00	20	0.80
8-025-10	10	3.15	12	1.40
8-025-13	13	5.30	6	3.00
8-025-16	16	8.00	4	5.80
8-025-20	20	12.50	2	8.50
8-025-22	22	15.00	2	12.50
8-025-26	26	21.20	1	14.00
8-025-28	28	25.00	1	26.00
DA-025-32	32	32.80	1	26.00

Metric Dimensions

Part Code	Chain Size mm	A mm	D mm	H mm	K mm	P mm	T mm
8-025-07	7, 8	25	11	24	136	34	20
8-025-10	10	32	13	30	167	44	26
8-025-13	13	40	16	39	207	52	30
8-025-16	16	52	21	49	252	60	36
8-025-20	20	64	23	62	282	90	48
8-025-22	22	70	24	63	319	80	49
8-025-26	26	80	25	69	343	99	56
8-025-28	28	90	28	81	401	120	63
DA-025-32	32	90	28	81	401	120	63

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-025-07	1/4 - 5/16	4500	20	1.80
8-025-10	3/8	7100	12	3.10
8-025-13	1/2	12000	6	6.40
8-025-16	5/8	18100	4	12.60
8-025-20	3/4	28300	2	18.70
8-025-22	7/8	34200	2	27.60
8-025-26	1	47700	1	32.00
8-025-28	1-1/8	55100	1	54.90
DA-025-32	1-17/64	72311	1	57.30


Imperial Dimensions

Part Code	Chain Size inch	A inch	D inch	H inch	K inch	P inch	T inch
8-025-07	1/4 - 5/16	0.98	0.44	0.94	5.35	1.34	0.79
8-025-10	3/8	1.26	0.51	1.19	6.57	1.77	1.02
8-025-13	1/2	1.56	0.62	1.57	8.15	2.13	1.19
8-025-16	5/8	2.05	0.83	1.93	9.92	2.44	1.42
8-025-20	3/4	2.52	0.91	2.36	11.10	3.54	1.91
8-025-22	7/8	2.75	0.94	2.48	12.56	3.14	2.12
8-025-26	1	3.15	0.98	2.72	13.50	3.90	2.20
8-025-28	1-1/8	3.54	1.10	3.18	15.80	4.72	2.48
DA-025-32	1-17/64	3.54	1.10	3.19	15.79	4.72	2.48

Grade 8 Clevis Self Locking Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-3
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-026-07	7, 8	2.00	20	0.80
8-026-10	10	3.15	15	1.40
8-026-13	13	5.30	6	2.90
8-026-16	16	8.00	4	5.60
8-026-20	20	12.50	2	9.00
8-026-22	22	15.00	2	13.00

Metric Dimensions

Part Code	Chain Size mm	A mm	H mm	K mm	P mm	T mm
8-026-07	7, 8	9	24	119	34	20
8-026-10	10	11	30	143	44	26
8-026-13	13	14	39	179	52	30
8-026-16	16	18	49	212	60	36
8-026-20	20	21	62	243	90	48
8-026-22	22	24	63	273	80	49

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-026-07	1/4 - 5/16	4500	20	1.80
8-026-10	3/8	7100	15	3.10
8-026-13	1/2	12000	6	6.40
8-026-16	5/8	18100	4	12.40
8-026-20	3/4	28300	2	19.40
8-026-22	7/8	34200	2	28.20

Imperial Dimensions

Part Code	Chain Size inch	A inch	H inch	K inch	P inch	T inch
8-026-07	1/4 - 5/16	0.35	0.94	4.69	1.34	0.79
8-026-10	3/8	0.43	1.19	5.63	1.77	1.02
8-026-13	1/2	0.55	1.57	7.05	2.13	1.19
8-026-16	5/8	0.71	1.93	8.35	2.44	1.42
8-026-20	3/4	0.83	2.36	9.56	3.54	1.91
8-026-22	7/8	0.95	2.48	10.70	3.14	2.12

Grade 8 Swivel Self Locking Hook with Ball Bearing

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-3
 Paint Finish: Yellow



This hook is designed to fully swivel while in use lifting a load.

Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-027N-07	7, 8	2.00	12	1.20
8-027N-10	10	3.15	7	2.00
8-027N-13	13	5.30	4	4.20
8-027N-16	16	8.00	3	7.30
8-027N-20	20	12.50	2	11.70
8-027N-22	22	15.00	1	18.00
8-027N-26	26	21.20	1	32.00
DA-027N-32	32	31.50	1	38.50

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	D mm	H mm	K mm	P mm	T mm
8-027N-07	7, 8	36	29	14	24	186	34	20
8-027N-10	10	40	34	16	30	220	44	26
8-027N-13	13	46	43	22	39	267	52	30
8-027N-16	16	60	50	24	49	328	60	36
8-027N-20	20	75	82	26	62	388	90	48
8-027N-22	22	97	95	33	63	457	80	49
8-027N-26	26	123	115	52	69	535	99	56
DA-027N-32	32	123	115	42	81	583	120	63

Imperial Specifications



Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-027N-07	1/4 - 5/16	4500	12	2.60
8-027N-10	3/8	7100	7	4.40
8-027N-13	1/2	12000	4	9.00
8-027N-16	5/8	18100	3	16.10
8-027N-20	3/4	28300	2	25.10
8-027N-22	7/8	34200	1	39.90
8-027N-26	1	47700	1	65.00
DA-027N-32	1-17/64	69445	1	85.00

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	H inch	K inch	P inch	T inch
8-027N-07	1/4 - 5/16	1.42	1.14	0.51	0.94	7.32	1.34	0.79
8-027N-10	3/8	1.63	1.34	0.62	1.19	8.66	1.77	1.02
8-027N-13	1/2	1.81	1.70	0.83	1.57	10.51	2.09	1.19
8-027N-16	5/8	2.36	1.97	0.91	1.93	12.91	2.44	1.42
8-027N-20	3/4	2.91	3.23	1.02	2.36	15.28	3.54	1.91
8-027N-22	7/8	3.82	3.74	1.30	2.48	17.99	3.14	2.12
8-027N-26	1	4.84	4.53	2.05	2.72	21.06	3.90	2.20
DA-027N-32	1-17/64	4.84	4.53	1.65	3.19	22.95	4.72	2.48

Grade 8 Bolt On Lifting Point

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	WLL t	Mass kg
8-058-1T	1.00	0.70
8-058-3T	3.00	1.10
8-058-5T	5.00	2.50

Metric Dimensions

Part Code	A mm	B mm	D mm	F mm	H mm	K mm	L mm	N mm	R mm
8-058-1T	50	72	14	27	55	98	139	14	24
8-058-3T	58	84	17	33	50	114	144	18	29
8-058-5T	64	116	22	43	74	160	203	23	33

Imperial Specifications



Part Code	WLL lbs	Mass lbs
8-058-1T	2200	1.50
8-058-3T	6600	2.40
8-058-5T	11000	5.50

Imperial Dimensions

Part Code	A inch	B inch	D inch	F inch	H inch	K inch	L inch	N inch	R inch
8-058-1T	1.97	2.83	0.55	1.06	2.17	3.86	5.47	0.55	0.94
8-058-3T	2.28	3.31	0.67	1.30	1.97	4.49	5.67	0.71	1.14
8-058-5T	2.52	4.57	0.87	1.69	2.91	6.30	7.99	0.91	1.30

Grade 8 Weld On Lifting Point

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	WLL t	Mass kg
8-057-10T	10.00	3.10
8-0573-20T	20.00	6.50

Metric Dimensions

Part Code	A mm	D mm	E mm	F mm	H mm	K mm	L mm	R mm	W mm
8-057-10T	146	20	30	54	88	73	191	41	75
8-0573-20T	187	25	38	70	106	93	234	50	91

Imperial Specifications

Part Code	WLL lbs	Mass lbs
8-057-10T	22000	6.80
8-0573-20T	44000	14.30



Imperial Dimensions

Part Code	A inch	D inch	E inch	F inch	H inch	K inch	L inch	R inch	W inch
8-057-10T	5.7	0.7	1.1	2.1	3.4	2.8	7.5	1.6	2.9
8-0573-20T	7.3	0.9	1.5	2.7	4.1	3.6	9.2	1.9	3.5

Grade 8 Weld On Super Point



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	WLL t	Mass kg
8-0575-015	1.50	0.32
8-0575-025	2.50	0.49
8-0575-040	4.00	0.67
8-0575-067	6.70	1.71
8-0575-100	10.00	2.45
8-0575-160	16.00	6.33

Metric Dimensions

Part Code	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	L mm	W mm
8-0575-015	64	31	38	13	13	63	24	39	84	32
8-0575-025	74	39	45	16	15	75	28	47	98	39
8-0575-040	84	40	51	16	17	81	29	52	108	45
8-0575-067	110	60	67	23	22	115	43	72	152	59
8-0575-100	122	72	67	27	22	124	51	73	165	59
8-0575-160	180	92	100	26	32	172	66	106	228	89

Imperial Specifications

Part Code	WLL lbs	Mass lbs
8-0575-015	3300	0.70
8-0575-025	5500	1.08
8-0575-040	8800	1.47
8-0575-067	14750	3.76
8-0575-100	22000	5.39
8-0575-160	35200	13.93



Imperial Dimensions

Part Code	A inch	B inch	C inch	D inch	E inch	F inch	G inch	H inch	L inch	W inch
8-0575-015	2.52	1.22	1.50	0.51	0.51	2.48	0.95	1.54	3.31	1.26
8-0575-025	2.91	1.54	1.77	0.63	0.59	2.95	1.10	1.85	3.86	1.54
8-0575-040	3.31	1.58	2.01	0.63	0.67	3.19	1.14	2.05	4.25	1.77
8-0575-067	4.33	2.36	2.64	0.91	0.87	4.53	1.69	2.84	5.99	2.32
8-0575-100	4.80	2.84	2.64	1.06	0.87	4.88	2.01	2.87	6.50	2.32
8-0575-160	7.09	3.62	3.94	1.02	1.26	6.77	2.60	4.17	8.98	3.50

Grade 8 Barrel Hook



Material: Grade 8 Alloy Steel
Intl. Standard: EN1677-1
Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-071-07	7, 8	1.60	20	0.90

Metric Dimensions

Part Code	Chain Size mm	E mm	K mm	W mm
8-071-07	7, 8	38	133	50

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-071-07	1/4	3500	20	2.00


Imperial Dimensions

Part Code	Chain Size inch	E inch	K inch	W inch
8-071-07	1/4	1.50	5.24	1.97



Grade 8 Clevis Skip Hook with Spring Gate Hook

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-069-13	13	5.30	12	1.80

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	K mm	L mm	W mm
8-069-13	13	14	125	141	57	65

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-069-13	1/2	12000	12	4.00


Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	K inch	L inch	W inch
8-069-13	1/2	0.55	5.55	2.24	2.56	4.92

Grade 8 Excavator Weld On Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	WLL t	Box Qty	Mass kg
8-081-01	1.00	24	0.60
8-081-02	2.00	18	1.00
8-081-03	3.00	12	1.40
8-081-04	4.00	12	2.20
8-081-05	5.00	6	3.00
8-081-08	8.00	6	3.80
8-081-10	10.00	4	6.30

Metric Dimensions

Part Code	F mm	H mm	L mm	P mm	T mm	W mm	HV mm	a mm
8-081-01	25	27	70	18	18	95	7	4
8-081-02	30	30	85	25	20	115	8	5
8-081-03	35	30	107	28	23	133	9	6
8-081-04	42	38	114	28	30	142	10	7
8-081-05	44	47	135	30	31	167	12	7
8-081-08	50	52	137	32	39	176	12	8
8-081-10	56	56	170	44	42	222	13	8

Imperial Specifications

Part Code	WLL lbs	Box Qty	Mass lbs
8-081-01	2200	24	1.30
8-081-02	4400	18	2.20
8-081-03	6600	12	3.10
8-081-04	8800	12	4.40
8-081-05	11000	6	6.60
8-081-08	17600	6	8.40
8-081-10	22000	4	13.90



Imperial Dimensions

Part Code	F inch	H inch	L inch	P inch	T inch	W inch	HV inch	a inch
8-081-01	0.98	1.06	2.83	0.71	0.67	3.74	0.28	0.24
8-081-02	1.18	1.22	3.46	0.98	0.79	4.53	0.31	0.31
8-081-03	1.38	1.18	4.21	1.10	0.91	5.24	0.35	0.39
8-081-04	1.65	1.50	4.41	1.10	1.18	5.55	0.39	0.43
8-081-05	1.73	1.81	5.24	1.18	1.22	6.57	0.47	0.51
8-081-08	1.97	2.13	5.39	1.26	1.54	6.89	0.47	0.55
8-081-10	2.20	2.20	6.61	1.73	1.65	8.74	0.51	0.63

Grade 8 Eye Container Hook

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow

The image and drawing below depict a straight Yoke Grade 8 container hook. We only stock and distribute the left hand (8-067-45LT) and the right hand (8-067-45RH).



Metric Specifications

Part Code	Chain Size mm	Description	WLL t	Box Qty	Mass kg
8-067-45LT	20	Left 45°	12.50	6	3.90
8-067-45RH	20	Right 45°	12.50	6	3.90

Metric Dimensions

Part Code	Chain Size mm	Description	E mm	F mm	G mm	H mm	K mm	T mm
8-067-45LT	20	Left 45°	70	45	75	48	192	25
8-067-45RH	20	Right 45°	70	45	75	48	192	25

Imperial Specifications

Part Code	Chain Size inch	Description	WLL lbs	Box Qty	Mass lbs
8-067-45LT	3/4	Left 45°	28000	6	8.60
8-067-45RH	3/4	Right 45°	28000	6	8.60


Imperial Dimensions

Part Code	Chain Size inch	Description	E inch	F inch	G inch	H inch	K inch	T inch
8-067-45LT	3/4	Left 45°	2.76	1.81	2.95	1.89	7.56	0.98
8-067-45RH	3/4	Right 45°	2.76	1.81	2.95	1.89	7.56	0.98

Yoke Insulated Blank Swivels



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-088N-07	7, 8	2.00	36	0.51
8-088N-10	10	3.15	16	1.14
8-088N-13	13	5.30	10	2.31
8-088N-16	16	8.00	5	4.19
8-088N-20	18, 20	12.50	3	6.40

Metric Dimensions

Part Code	Chain Size mm	L mm	D mm	W mm
8-088N-07	7, 8	50	48	50.00
8-088N-10	10	62	58	62.00
8-088N-13	13	72	74	78.50
8-088N-16	16	94	90	95.00
8-088N-20	18, 20	109	105	110.00

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-088N-07	1/4 - 5/16	4500	36	1.12
8-088N-10	3/8	7100	16	2.51
8-088N-13	1/2	12000	10	5.09
8-088N-16	5/8	18100	5	9.24
8-088N-20	3/4	28300	3	14.10

Imperial Dimensions

Part Code	Chain Size inch	L inch	D inch	W inch
8-088N-07	1/4 - 5/16	1.96	1.88	1.96
8-088N-10	3/8	2.44	2.28	2.44
8-088N-13	1/2	3.03	2.91	3.09
8-088N-16	5/8	3.70	3.54	3.74
8-088N-20	3/4	4.29	4.13	4.33

Grade 8 Coupling Sling Hook

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-055-07	7, 8	2.00	30	0.40
8-055-10	10	3.15	15	0.90
8-055-13	13	5.30	10	1.80
8-055-16	16	8.00	6	3.00
8-055-20	20	12.50	3	4.70

Metric Dimensions

Part Code	Chain Size mm	H mm	K mm	P mm	T mm
8-055-07	7, 8	23	93	30	19
8-055-10	10	31	115	36	23
8-055-13	13	36	141	42	28
8-055-16	16	45	166	47	32
8-055-20	20	48	191	52	43

Imperial Specifications



Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-055-07	1/4 - 5/16	4500	30	0.90
8-055-10	3/8	7100	15	2.00
8-055-13	1/2	12000	10	4.00
8-055-16	5/8	18100	6	6.60
8-055-20	3/4	28300	3	10.40

Imperial Dimensions

Part Code	Chain Size inch	H inch	K inch	P inch	T inch
8-055-07	1/4 - 5/16	0.91	3.66	1.18	0.75
8-055-10	3/8	1.22	4.53	1.42	0.91
8-055-13	1/2	1.42	5.55	1.65	1.10
8-055-16	5/8	1.77	6.54	1.85	1.26
8-055-20	3/4	1.89	7.52	2.05	1.69

Grade 8 Round Sling Coupling

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-053-07	7, 8	2.00	60	0.20
8-053-10	10	3.15	50	0.40
8-053-13	13	5.30	25	0.70
8-053-16	16	8.00	15	1.30
8-053-20	20	12.50	10	2.10

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	K mm	W mm
8-053-07	7, 8	18	24	33	40
8-053-10	10	25	29	42	47
8-053-13	13	30	35	51	53
8-053-16	16	36	44	63	67
8-053-20	20	42	52	71	80

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-053-07	1/4 - 5/16	4500	60	0.40
8-053-10	3/8	7100	50	0.90
8-053-13	1/2	12000	25	1.50
8-053-16	5/8	18100	15	2.90
8-053-20	3/4	28300	10	4.60

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	K inch	W inch
8-053-07	1/4 - 5/16	0.71	0.94	1.30	1.57
8-053-10	3/8	0.98	1.14	1.65	1.85
8-053-13	1/2	1.18	1.38	2.01	2.09
8-053-16	5/8	1.42	1.73	2.48	2.64
8-053-20	3/4	1.65	2.05	2.87	3.15

Grade 8 Half Coupling Link with Coupling Pin and Sleeve Set

Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-054-07	7, 8	2.00	200	0.10
8-054-10	10	3.15	100	0.20
8-054-13	13	5.30	40	0.40
8-054-16	16	8.00	25	0.60
8-054-20	20	12.50	20	1.10

Metric Dimensions

Part Code	Chain Size mm	A mm	D mm	K mm	L mm
8-054-07	7, 8	18	9	22	28
8-054-10	10	25	11	26	34
8-054-13	13	30	16	35	45
8-054-16	16	36	19	38	50
8-054-20	20	42	22	46	60

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-054-07	1/4 - 5/16	4500	60	0.20
8-054-10	3/8	7100	50	0.40
8-054-13	1/2	12000	25	0.90
8-054-16	5/8	18100	15	1.30
8-054-20	3/4	28300	10	2.40


Imperial Dimensions

Part Code	Chain Size inch	A inch	D inch	K inch	L inch
8-054-07	1/4 - 5/16	0.71	0.35	0.89	1.10
8-054-10	3/8	0.98	0.50	1.06	1.30
8-054-13	1/2	1.18	0.62	1.38	1.77
8-054-16	5/8	1.42	0.75	1.51	1.97
8-054-20	3/4	1.65	0.87	1.81	2.36

Grade 8 Coupling Self Locking Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-2
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-023-07	7, 8	2.00	20	0.80
8-023-10	10	3.15	12	1.30
8-023-13	13	5.30	6	2.80
8-023-16	16	8.00	4	5.70
8-023-20	18, 20	12.50	2	8.50

Metric Dimensions

Part Code	Chain Size mm	H mm	K mm	P mm	T mm
8-023-07	7, 8	24	136	34	20
8-023-10	10	30	154	44	26
8-023-13	13	39	202	55	30
8-023-16	16	49	242	60	36
8-023-20	18, 20	62	257	90	48

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-023-07	1/4 - 5/16	4500	20	1.80
8-023-10	3/8	7100	12	3.10
8-023-13	1/2	12000	6	6.40
8-023-16	5/8	18100	4	11.90
8-023-20	3/4	28300	2	17.90

Imperial Dimensions

Part Code	Chain Size inch	H inch	K inch	P inch	T inch
8-023-07	1/4 - 5/16	0.94	5.35	1.34	0.79
8-023-10	3/8	1.19	6.06	1.77	1.02
8-023-13	1/2	1.57	7.95	2.13	1.19
8-023-16	5/8	1.93	9.53	2.44	1.42
8-023-20	3/4	2.36	10.12	3.54	1.91



To suit: 8-043/S, 8-044/S



To suit: 8-049



To suit: All Yoke Clevis type hooks

Chain Sling Tags

According to BSEN 818-4

Part Code
CT.01

Chain Tags

Ideal for general purpose assemblies

Part Code	Diameter mm
CT.07	22
CT.08	29
CT.09	44

Latch Kits to suit Clevis and Eye Sling Hooks

Part Code	Chain Size mm	Chain Size inch
8-P044-07	7,8	1/4 - 5/16
8-P044-10	10	3/8
8-P044-13	13	1/2
8-P044-16	16	5/8
8-P044-20	20	3/4
8-P044-22	22	7/8
8-P044-26	26	1
8-P044-32	32	1-1/4

Latch Kits to suit Swivel Sling Hooks

Part Code	Chain Size mm	Chain Size inch
8-P049-07	7, 8	1/4 - 5/16
8-P049-10	10	3/8
8-P049-13	13	1/2
8-P049-16	16	5/8
8-P049-20	20	3/4

Load Pin Kits

Part Code	Chain Size mm	Chain Size inch
8-P026-07	7, 8	1/4 - 5/16
8-P026-10	10	3/8
8-P026-13	13	1/2
8-P026-16	16	5/8
8-P026-20	20	3/4



To suit: 8-023, 8-025, 8-026, 8-027N



To suit: 8-081



To suit: 8-015



To suit: 8-078

Trigger Kits to suit Self Locking Hooks

Part Code	Chain Size mm	Chain Size inch
8-P025-06	6	7/32
8-P025-07	7, 8	1/4 - 5/16
8-P025-10	10	3/8
8-P025-13	13	1/2
8-P025-16	16	5/8
8-P025-20	20	3/4
8-P025-22	22	7/8
8-P025-26	26	1

Latch Kits to suit Weld on Hook

Part Code	Size Tonnes
8-P081-01	1.00
8-P081-02	2.00
8-P081-03	3.00
8-P081-04	4.00
8-P081-05	5.00
8-P081-08	8.00
8-P081-10	10.00

Coupling Pin and Sleeve Set


Part Code	Chain Size mm	Chain Size inch
8-P015-07	7, 8	1/4 - 5/16
8-P015-10	10	3/8
8-P015-13	13	1/2
8-P015-16	16	5/8
8-P015-20	20	3/4
8-P015-22	22	7/8
8-P015-26	26	1
8-P015-32	32	1-1/4

Clutch Load Pin Kit

Part Code	Chain Size mm	Chain Size inch
8-P072-07	7, 8	1/4 - 5/16
8-P072-10	10	3/8
8-P072-13	13	1/2
8-P072-16	16	5/8



Material: Alloy Steel
 Intl. Standard: EN1677-4
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm Single	Chain Size mm Double	WLL t	Box Qty	Mass kg
8-H01-0807	ML0807-8	7 & 8	2.12	30	0.54
8-H01-1008	ML1008-8	10	3.15	20	0.82
8-H01-1310	ML1310-8	13	5.30	10	1.50
8-H01-1613	ML1613-8	16	8.00	8	2.32
8-H01-2016	ML2016-8	20	14.00	3	6.34

Metric Dimensions

Part Code	Chain Size mm Single	Chain Size mm Double	A mm	B mm	D mm
8-H01-0807	ML0807-8	7 & 8	110	60	16
8-H01-1008	ML1008-8	10	135	75	18
8-H01-1310	ML1310-8	13	160	90	22
8-H01-1613	ML1613-8	16	180	100	26
8-H01-2016	ML2016-8	20	260	140	36



Imperial Specifications

Part Code	Chain Size inch Single	Chain Size inch Double	WLL lbs	Box Qty	Mass lbs
8-H01-0807	ML0807-8	5/16 & 9/32	4673	30	1.19
8-H01-1008	ML1008-8	25/64	7100	20	1.80
8-H01-1310	ML1310-8	33/64	12000	10	3.30
8-H01-1613	ML1613-8	5/8	18100	8	5.11
8-H01-2016	ML2016-8	25/32	30864	3	13.97

Imperial Dimensions

Part Code	Chain Size mm Single	Chain Size mm Double	A inch	B inch	D inch
8-H01-0807	ML0807-8	5/16 & 9/32	4.33	2.36	0.62
8-H01-1008	ML1008-8	25/64	5.31	2.95	0.70
8-H01-1310	ML1310-8	33/64	6.29	3.54	0.86
8-H01-1613	ML1613-8	5/8	7.08	3.93	1.02
8-H01-2016	ML2016-8	25/32	10.23	5.51	1.41

Material: Alloy Steel
 Intl. Standard: EN1677-4
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H02-08	7, 8	4.25	8	2.82
8-H02-10	10	6.70	5	4.87
8-H02-13	13	11.20	2	9.38
8-H02-16	16	17.00	1	15.28

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	D mm	a mm	b mm	d mm
8-H02-08	7, 8	160	90	22	70	34	16
8-H02-10	10	180	100	26	85	40	18
8-H02-13	13	200	110	32	115	50	22
8-H02-16	16	260	140	36	140	65	26

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H02-08	5/16 & 9/32	9369	8	6.21
8-H02-10	25/64	14771	5	10.73
8-H02-13	33/64	24691	2	20.67
8-H02-16	5/8	37478	1	33.68



Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	a inch	b inch	d inch
8-H02-08	5/16 & 9/32	6.29	3.54	0.86	2.75	1.33	0.62
8-H02-10	25/64	7.08	3.93	1.02	3.34	1.57	0.70
8-H02-13	33/64	7.87	4.33	1.25	4.52	1.96	0.86
8-H02-16	5/8	10.23	5.51	1.41	5.51	2.55	1.02

Grade 8 Component Connector



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H03-08	7 & 8	2.00	120	0.20
8-H03-10	10	3.15	60	0.30
8-H03-13	13	5.30	30	0.70
8-H03-16	16	8.00	20	1.20
8-H03-20	20	12.50	10	2.10
8-H03-22	22	15.00	6	3.10
8-H03-26	26	21.20	4	4.50
8-H03-32	32	31.50	2	8.21

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	L mm	K mm	H mm	M mm	N mm	Ø mm
8-H03-08	7 & 8	20.5	9.0	79.5	60.5	8.8	55.0	14.8	6.3
8-H03-10	10	26.0	12.0	95.0	68.0	11.5	69.0	17.8	8.1
8-H03-13	13	30.0	15.0	117.0	87.0	15.0	86.6	25.0	10.3
8-H03-16	16	35.0	19.8	148.0	104.0	19.8	103.0	30.0	12.3
8-H03-20	20	41.8	24.0	169.5	121.5	22.0	120.0	34.0	15.3
8-H03-22	22	49.5	26.0	193.5	137.0	26.0	147.0	40.0	17.3
8-H03-26	26	58.0	31.0	220.0	158.0	30.0	174.0	44.0	20.5
8-H03-32	32	67.5	38.0	274.5	197.0	37.0	214.0	56.0	24.5

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H03-08	5/16 & 9/32	4500	120	0.40
8-H03-10	25/64	7100	60	0.70
8-H03-13	33/64	12000	30	1.50
8-H03-16	5/8	18100	20	2.64
8-H03-20	25/32	28300	10	4.62
8-H03-22	55/64	34200	6	6.83
8-H03-26	1-1/32	47700	4	9.92
8-H03-32	1-17/64	72300	2	18.09



Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	K inch	H inch	M inch	N inch	Ø inch
8-H03-08	5/16 & 9/32	0.80	0.35	3.12	2.38	0.34	2.16	0.58	0.24
8-H03-10	25/64	1.02	0.47	3.74	2.67	0.45	2.71	0.70	0.31
8-H03-13	33/64	1.18	0.59	4.60	3.42	0.59	3.40	0.98	0.40
8-H03-16	5/8	1.37	0.77	5.82	4.09	0.77	4.05	1.18	0.48
8-H03-20	25/32	1.64	0.94	6.67	4.78	0.86	4.72	1.33	0.60
8-H03-22	55/64	1.94	1.02	7.67	5.39	1.02	5.78	1.57	0.68
8-H03-26	1-1/32	2.28	1.22	8.66	6.22	1.18	6.85	1.73	0.80
8-H03-32	1-17/64	2.65	1.49	10.80	7.75	1.45	8.42	2.20	0.96

Grade 8 Clevis Sling Hook with Latch



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-2
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H04-08	7 & 8	2.00	120	0.58
8-H04-10	10	3.15	60	1.19
8-H04-13	13	5.30	30	2.32
8-H04-16	16	8.00	20	3.82
8-H04-20	20	12.50	2	6.77
8-H04-22	22	15.00	2	9.65
8-H04-26	26	21.20	2	14.50
8-H04-32	32	31.50	1	27.00

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm	E mm	M mm	N mm	H mm	L mm	K mm
8-H04-08	7 & 8	9.0	33	20.0	27	86.0	20.0	24.8	140.0	93.5
8-H04-10	10	12.0	44	25.5	33	103.0	24.0	28.0	174.0	121.0
8-H04-13	13	15.0	57	34.0	40	133.3	38.0	38.0	213.6	147.6
8-H04-16	16	18.5	67	41.5	44	161.0	41.0	41.0	250.0	166.0
8-H04-20	20	23.0	80	51.0	53	187.0	50.0	50.0	292.0	200.0
8-H04-22	22	25.5	98	61.0	60	239.0	76.0	76.0	375.0	228.0
8-H04-26	26	30.0	117	-	101	-	-	75.0	-	250.0
8-H04-32	32	35.0	150	-	124	-	-	88.0	-	317.0

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H04-08	5/16 & 9/32	4500	120	1.27
8-H04-10	25/64	7100	60	2.62
8-H04-13	33/64	12000	30	5.11
8-H04-16	5/8	18100	20	8.42
8-H04-20	25/32	28300	2	14.92
8-H04-22	55/64	34200	2	21.27
8-H04-26	1-1/32	47700	2	31.96
8-H04-32	1-17/64	72300	1	59.52


Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch	E inch	M inch	N inch	H inch	L inch	K inch
8-H04-08	5/16 & 9/32	0.35	1.29	0.78	1.06	3.38	0.78	0.97	5.51	3.68
8-H04-10	25/64	0.47	1.73	1.00	1.29	4.05	0.94	1.10	6.85	4.76
8-H04-13	33/64	0.59	2.24	1.33	1.57	5.24	1.49	1.49	8.39	5.81
8-H04-16	5/8	0.72	2.63	1.63	1.73	6.33	1.63	1.61	9.84	6.53
8-H04-20	25/32	0.90	3.14	2.00	2.08	7.36	1.88	1.96	11.49	7.87
8-H04-22	55/64	1.00	3.85	2.40	2.36	9.40	1.73	2.99	14.76	8.97
8-H04-26	1-1/32	1.18	4.60	-	3.97	-	-	2.95	-	9.84
8-H04-32	1-17/64	1.37	5.90	-	4.88	-	-	3.46	-	12.48

Grade 8 Clevis Self Locking Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-3
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H05-08	7, 8	2.00	25	0.80
8-H05-10	10	3.15	14	1.38
8-H05-13	13	5.30	6	2.81
8-H05-16	16	8.00	3	6.00
8-H05-20	20	12.50	2	7.25
8-H05-22	22	15.00	2	12.80
8-H05-26	26	21.20	1	21.80

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm	E mm	L1 mm	L mm
8-H05-08	7, 8	9.5	33.0	39	35.8	119.3	161.8
8-H05-10	10	12.5	46.0	48	45.0	142.0	195.0
8-H05-13	13	15.0	59.0	65	52.5	179.0	249.0
8-H05-16	16	18.5	68.0	65	63.3	224.8	310.0
8-H05-20	20	24.0	81.0	85	86.0	238.0	335.0
8-H05-22	22	25.0	97.5	80	76.0	277.0	392.0
8-H05-26	26	30.0	118.0	125.0	96.0	312.0	449.0

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H05-08	5/16 & 9/32	4500	25	1.76
8-H05-10	25/64	7100	14	3.04
8-H05-13	33/64	12000	6	6.19
8-H05-16	5/8	18100	3	13.22
8-H05-20	25/32	28300	2	15.98
8-H05-22	55/64	34200	2	28.21
8-H05-26	1-1/32	47700	1	48.06


Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch	E inch	L1 inch	L inch
8-H05-08	5/16 & 9/32	0.37	1.29	1.53	1.40	4.69	6.37
8-H05-10	25/64	0.49	1.81	1.88	1.77	5.59	7.67
8-H05-13	33/64	0.59	2.32	2.55	2.06	7.04	9.80
8-H05-16	5/8	0.72	2.67	2.55	2.49	8.85	12.20
8-H05-20	25/32	0.94	3.18	3.34	3.38	9.37	13.18
8-H05-22	55/64	0.98	3.83	3.14	2.99	8.93	15.43
8-H05-26	1-1/32	1.18	4.64	4.92	3.77	12.28	17.67

Grade 8 Eye Grab Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H06-08	7 & 8	2.00	80	0.40
8-H06-10	10	3.15	30	0.70
8-H06-13	13	5.30	15	1.34
8-H06-16	16	8.00	10	2.10
8-H06-20	20	12.50	4	4.00
8-H06-22	22	15.00	2	6.40
8-H06-26	26	21.20	2	10.60
8-H06-32	32	31.50	1	19.40

Metric Dimensions

Part Code	Chain Size mm	E mm	Ø mm	H mm	R mm	L mm	M mm
8-H06-08	7 & 8	10.8	18.0	21.5	52.5	93	53
8-H06-10	10	13.0	20.5	29.0	79.8	122	71
8-H06-13	13	16.5	26.0	42.8	99.7	158	90
8-H06-16	16	19.0	30.5	44.5	106.5	169	123
8-H06-20	20	24.0	37.5	56.0	140.2	219	143
8-H06-22	22	28.0	44.0	68.0	165.0	259	160
8-H06-26	26	30.0	49.0	77.0	197.0	306	171
8-H06-32	32	41.0	64.0	87.0	246.0	373	229

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H06-08	5/16 & 9/32	4500	80	0.88
8-H06-10	25/64	7100	30	1.54
8-H06-13	33/64	12000	15	2.95
8-H06-16	5/8	18100	10	4.62
8-H06-20	25/32	28300	4	8.81
8-H06-22	55/64	34200	2	14.10
8-H06-26	1-1/32	47700	2	23.36
8-H06-32	1-17/64	72300	1	42.76


Imperial Dimensions

Part Code	Chain Size inch	E inch	Ø inch	H inch	R inch	L inch	M inch
8-H06-08	5/16 & 9/32	0.42	0.70	0.84	2.06	3.66	2.08
8-H06-10	25/64	0.51	0.80	1.14	3.14	4.80	2.79
8-H06-13	33/64	0.64	1.02	1.68	3.92	6.22	3.54
8-H06-16	5/8	0.74	1.20	1.75	4.19	6.65	4.84
8-H06-20	25/32	0.94	1.47	2.20	5.51	8.62	5.62
8-H06-22	55/64	1.10	1.73	2.67	6.49	10.19	6.29
8-H06-26	1-1/32	1.18	1.92	3.03	7.75	12.04	6.73
8-H06-32	1-17/64	1.61	2.51	3.42	9.68	14.68	9.01

Grade 8 Reeveable Egg Link



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H07-08	7 & 8	2.00	35	0.53
8-H07-10	10	3.15	20	0.74
8-H07-13	13	5.30	10	1.80
8-H07-16	16	8.00	6	2.80

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	D mm	E mm	L mm	C mm
8-H07-08	7 & 8	10	32.8	45.0	87.0	139	4.0
8-H07-10	10	12	42.0	60.0	108.0	174	5.0
8-H07-13	13	15	58.0	66.5	137.5	228	6.5
8-H07-16	16	19	68.0	72.0	165.0	264	7.0

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H07-08	5/16 & 9/32	4500	35	1.16
8-H07-10	25/64	7100	20	1.63
8-H07-13	33/64	12000	10	3.96
8-H07-16	5/8	18100	6	6.17


Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	E inch	L inch	C inch
8-H07-08	5/16 & 9/32	0.39	1.29	1.77	3.42	5.47	0.15
8-H07-10	25/64	0.47	1.65	2.36	4.25	6.85	0.19
8-H07-13	33/64	0.59	2.28	2.61	5.41	8.97	0.25
8-H07-16	5/8	0.74	2.67	2.83	6.49	10.39	0.27

Grade 8 Clevis C Hook



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H09-08	7 & 8	2.00	30	0.60
8-H09-10	10	3.15	15	1.40
8-H09-13	13	5.30	6	3.00
8-H09-16	16	8.00	3	5.40

Metric Dimensions

Part Code	Chain Size mm	A mm	E mm	B mm	H mm	K mm	L mm
8-H09-08	7 & 8	9.5	20.0	35.0	28.0	90.0	136.0
8-H09-10	10	12.6	29.5	46.0	39.5	127.0	189.0
8-H09-13	13	15.8	39.5	59.0	52.0	166.5	246.0
8-H09-16	16	18.5	46.5	72.0	59.0	206.0	298.0

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H09-08	5/16 & 9/32	4500	30	1.32
8-H09-10	25/64	7100	15	3.08
8-H09-13	33/64	12000	6	6.61
8-H09-16	5/8	18100	3	11.90


Imperial Dimensions

Part Code	Chain Size inch	A inch	E inch	B inch	H inch	K inch	L inch
8-H09-08	5/16 & 9/32	0.37	0.78	1.37	1.10	3.54	5.35
8-H09-10	25/64	0.49	1.16	1.81	1.55	5.00	7.44
8-H09-13	33/64	0.62	1.55	2.32	2.04	6.55	9.68
8-H09-16	5/8	0.72	1.83	2.83	2.32	8.11	11.73

Grade 8 Omega Link



Material: Grade 8 Alloy Steel
 Intl. Standard: EN1677-1
 Paint Finish: Yellow



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
8-H11-08	7 & 8	2.00	100	0.22
8-H11-10	10	3.15	60	0.36
8-H11-13	13	5.30	25	0.71
8-H11-16	16	8.00	15	1.12
8-H11-20	20	12.50	10	2.10

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	Ø mm	H mm	L mm	K mm	F mm
8-H11-08	7 & 8	10	52	23.5	35.0	68.5	22.0	14.0
8-H11-10	10	12	62	31.5	40.5	81.0	26.0	16.0
8-H11-13	13	15	81	41.0	54.0	108.0	34.0	20.0
8-H11-16	16	19	99	49.5	64.0	126.0	38.5	25.5
8-H11-20	20	23	118	58.0	75.6	152.0	50.0	32.0

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
8-H11-08	5/16 & 9/32	4500	100	0.48
8-H11-10	25/64	7100	60	0.79
8-H11-13	33/64	12000	25	1.56
8-H11-16	5/8	18100	15	2.46
8-H11-20	25/32	28300	10	4.62

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	Ø inch	H inch	L inch	K inch	F inch
8-H11-08	5/16 & 9/32	0.39	2.04	0.92	1.37	2.69	0.86	0.55
8-H11-10	25/64	0.47	2.44	1.24	1.59	3.18	1.02	0.62
8-H11-13	33/64	0.59	3.18	1.61	2.12	4.25	1.33	0.78
8-H11-16	5/8	0.74	3.89	1.94	2.51	4.96	1.51	1.00
8-H11-20	25/32	0.90	4.64	2.28	2.97	5.98	1.96	1.25



William Hackett

Grade 10
**CHAIN SLING
SYSTEMS**



Grade 10 Working Load Limits

Uniform Load Method of Rating BSEN 818-4



Chain Size mm	Single Leg	Endless	Two Leg		Three & Four Leg	
			0-45°	45-60°	0-45°	45-60°
6	1.4	2.2	2.0	1.4	2.9	2.1
8	2.5	4.0	3.5	2.5	5.3	3.8
10	4.0	6.4	5.6	4.0	8.4	6.0
13	6.7	10.6	9.5	6.7	14.0	10.0
16	10.0	16.0	14.0	10.0	21.0	15.0
20	16.0	25.6	22.4	16.0	33.6	24.0
22	19.0	30.4	26.5	19.0	40.0	28.0
26	26.5	42.4	37.1	26.5	55.7	39.8
32	40.0	65.0	56.0	40.0	85.0	60.0

All Working Load Limits (WLL) shown in Tonnes (t).

Single Leg Chain Slings

Basket Hitch (back hooked into top link)

The WLL will be the WLL for single leg slings.



Reeveable Collar Sling

The WLL will be 1.4 x the WLL for single leg slings.



Choke Hitch

The WLL will be 0.8 x the WLL for single leg slings.



Two Leg Chain Slings

Choke Hitch

The WLL will be 0.8 x the WLL for a two leg sling.



Double Basket

The WLL will be the WLL for a two leg sling.



Three & Four Leg Chain Slings

Choke Hitch

The WLL will be 0.8 x the WLL for 3 & 4 leg slings.




Double Basket

The WLL will be the WLL for 3 & 4 leg slings.



Material: Alloy Steel
 Intl. Standard: EN1677-4
 Paint Finish: Blue



Metric Specifications

Part Code	Description	Chain Size mm Single	Chain Size mm Double	WLL t	Mass kg
X-003-0806	MA0806ML	6, 7 & 8	6	2.8	0.47
X-003-1008	MA1008ML	10	7 & 8	4.2	0.72
X-003-1310	MA1310ML	13	10	6.7	1.50
X-003-1613	MA1613ML	16	13	11.8	3.00
X-003-2016	MA2016ML	20	16	17.0	5.10
330.360+	HA36ML OS+	22	20	26.0	6.46
330.400+	HA40ML OS+	26	22	30.5	8.46
330.450+	HA45ML OS+	32	26	40.0	12.18
330.500+	HA50ML OS+	36	32	51.0	16.54

Oversize Master Links

330.220+	HA22ML OS+	-	10	7.00	2.28
330.250+	HA25ML OS+	16	13	9.30	3.11

Metric Dimensions

Part Code	Description	A mm	B mm	C mm
X-003-0806	MA0806ML	14.5	125	60
X-003-1008	MA1008ML	16.0	150	75
X-003-1310	MA1310ML	22.0	162	90
X-003-1613	MA1613ML	28.0	200	110
X-003-2016	MA2016ML	32.0	270	140
330.360+	HA36ML OS+	36.0	270	140
330.400+	HA40ML OS+	40.0	280	155
330.450+	HA45ML OS+	45.0	320	175
330.500+	HA50ML OS+	50.0	350	195

Oversize Master Links

330.220+	HA22ML OS+	22.0	270	140
330.250+	HA25ML OS+	25.0	270	140

Imperial Specifications

Part Code	Description	Chain Size inch Single	Chain Size inch Double	WLL lbs	Mass lbs
X-003-0806	MA0806ML	1/4 - 5/16	1/4	6172	1.04
X-003-1008	MA1008ML	3/8	9/32 - 15/16	9259	1.59
X-003-1310	MA1310ML	1/2	3/8	14770	3.30
X-003-1613	MA1613ML	5/8	1/2	26014	6.60
X-003-2016	MA2016ML	3/4	5/8	37478	11.24
330.360+	HA36ML OS+	7/8	3/4	57320	14.24
330.400+	HA40ML OS+	1	7/8	67240	18.65
330.450+	HA45ML OS+	1-1/4	1	88184	26.85
330.500+	HA50ML OS+	1-27/64	1-1/4	112435	36.46

Oversize Master Links

330.220+	HA22ML OS+	-	3/8	15432	5.02
330.250+	HA25ML OS+	5/8	1/2	20502	6.85



Imperial Dimensions

Part Code	Description	A inch	B inch	C inch
X-003-0806	MA0806ML	0.57	4.92	2.36
X-003-1008	MA1008ML	0.63	5.90	2.95
X-003-1310	MA1310ML	0.86	6.37	3.54
X-003-1613	MA1613ML	1.10	7.87	4.33
X-003-2016	MA2016ML	1.26	10.63	5.51
330.360+	HA36ML OS+	1.41	10.63	5.51
330.400+	HA40ML OS+	1.57	11.00	6.10
330.450+	HA45ML OS+	1.77	12.60	6.89
330.500+	HA50ML OS+	1.97	13.78	7.67

Oversize Master Links

330.220+	HA22ML OS+	0.88	10.63	5.51
330.250+	HA25ML OS+	0.98	10.63	5.51

Material: Alloy Steel
 Intl. Standard: EN1677-4
 Paint Finish: Blue



Metric Specifications

Part Code	Description	Chain Size mm	WLL t	Mass kg
X-007-06	MA06SA	6	4.2	1.62
X-007-08	MA08SA	7 & 8	5.3	2.84
X-007-10	MA10SA	10	8.4	5.89
X-007-13	MA13SA	13	14.0	7.96
X-007-16	MA16SA	16	21.0	12.40
350.400+	HA40QA OS+	20	30.5	18.50
350.450+	HA45QA OS+	22	40.0	25.09
350.500+	HA50QA OS+	26	51.0	40.89
350.650+	HA65QA OS+	32	75.0	66.10

Oversize Sub Assemblies

350.250+	HA25QA OS+	10	9.30	6.05
----------	------------	----	------	------

Metric Dimensions

Part Code	Description	Chain Size mm	A mm	B mm	C mm	D mm	E mm	F mm
X-007-06	MA06SA	6	16	150	75	14.5	125	60
X-007-08	MA08SA	7 & 8	22	162	90	16.0	150	75
X-007-10	MA10SA	10	28	200	110	22.0	162	90
X-007-13	MA13SA	13	32	270	140	22.0	162	90
X-007-16	MA16SA	16	36	270	140	28.0	200	110
350.400+	HA40QA OS+	20	40	280	155	32.0	270	140
350.450+	HA45QA OS+	22	45	320	175	36.0	270	140
350.500+	HA50QA OS+	26	50	350	195	45.0	320	175
350.650+	HA65QA OS+	32	65	410	220	50.0	350	195

Oversize Sub Assemblies

350.250+	HA25QA OS+	10	25	270	140	20	140	70
----------	------------	----	----	-----	-----	----	-----	----

Imperial Specifications

Part Code	Description	Chain Size inch	WLL lbs	Mass lbs
X-007-06	MA06SA	1/4	9259	3.57
X-007-08	MA08SA	1/4 - 5/16	11684	6.26
X-007-10	MA10SA	3/8	18518	12.99
X-007-13	MA13SA	1/2	30864	17.55
X-007-16	MA16SA	5/8	46297	27.34
350.400+	HA40QA OS+	3/4	67240	40.78
350.450+	HA45QA OS+	7/8	88184	55.31
350.500+	HA50QA OS+	1	112435	90.14
350.650+	HA65QA OS+	1-17/64	165347	145.73

Oversize Sub Assemblies

350.250+	HA25QA OS+	3/8	20502	13.33
----------	------------	-----	-------	-------

Imperial Dimensions

Part Code	Description	Chain Size inch	A inch	B inch	C inch	D inch	E inch	F inch
X-007-06	MA06SA	0.24	0.63	5.90	2.95	0.57	4.92	2.36
X-007-08	MA08SA	0.28 - 0.31	0.86	6.37	3.54	0.63	5.90	2.95
X-007-10	MA10SA	0.39	1.10	7.87	4.33	0.86	6.37	3.54
X-007-13	MA13SA	0.51	1.26	10.63	5.51	0.86	6.37	3.54
X-007-16	MA16SA	0.63	1.41	10.63	5.51	1.10	7.87	4.33
350.400+	HA40QA OS+	0.79	1.57	11.00	6.10	1.26	10.63	5.51
350.450+	HA45QA OS+	0.87	1.77	12.60	6.89	1.41	10.63	5.51
350.500+	HA50QA OS+	1.02	1.97	13.78	7.67	1.77	12.60	6.89
350.650+	HA65QA OS+	1.25	2.56	16.14	8.66	1.97	13.78	7.67

Oversize Sub Assemblies

350.250+	HA25QA OS+	3/8	0.98	10.63	5.51	0.79	5.51	2.76
----------	------------	-----	------	-------	------	------	------	------

Grade 10 Lifting Chain - 200° Temper


Material: Grade 10 Alloy Steel

Paint Finish: Blue

Fulfills mechanical requirements in:

ASTM A973/A973M-07 (2012)

EN818+2:2008 (WLL +25%)



Metric Specifications

Part Code	Chain Size mm	WLL t	Kgs per metre	Metres per drum
ASV.060.5	6	1.40	0.80	500
ASV.080.5	8	2.50	1.51	350
ASV.100.5	10	4.00	2.35	250
ASV.130.5	13	6.70	3.99	150
ASV.160.5	16	10.00	5.99	100
ASV.200.5	20	16.00	9.76	60
ASV.220.5	22	19.00	11.70	50
ASV.260.5	26	26.50	16.12	30
ASV.320.5	32	40.00	24.80	25

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm
ASV.060.5	6	6	18	25.9
ASV.080.5	8	8	24	29.6
ASV.100.5	10	10	30	37.0
ASV.130.5	13	13	39	48.1
ASV.160.5	16	16	48	59.2
ASV.200.5	20	20	60	74.0
ASV.220.5	22	22	66	81.4
ASV.260.5	26	26	78	96.2
ASV.320.5	32	32	96	118.0

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	lbs per ft	feet per drum
ASV.060.5	1/4	3000	0.54	1640
ASV.080.5	5/16	5500	1.00	1148
ASV.100.5	3/8	8800	1.58	820
ASV.130.5	1/2	14700	2.68	492
ASV.160.5	5/8	22000	4.02	328
ASV.200.5	3/4	35200	6.56	196
ASV.220.5	7/8	41800	7.86	164
ASV.260.5	1	58400	10.83	98
ASV.320.5	1-17/64	88180	16.66	82

Imperial Dimensions


Part Code	Chain Size inch	A inch	B inch	C inch
ASV.060.5	1/4	0.24	0.70	1.02
ASV.080.5	5/16	0.31	0.94	1.16
ASV.100.5	3/8	0.39	1.18	1.45
ASV.130.5	1/2	0.51	1.54	1.90
ASV.160.5	5/8	0.63	1.89	2.33
ASV.200.5	3/4	0.78	2.36	2.91
ASV.220.5	7/8	0.86	2.59	3.20
ASV.260.5	1	1.02	3.07	3.78
ASV.320.5	1-17/64	1.26	3.78	4.65

Operating Temperature	W.L.L. Reduction
-40°C - 200°C	None
Above 200°C	Do Not Use

Grade 10 Component Connector



Material: Grade 10 Alloy Steel
 Intl. Standard: EN1677-1
 ASTM952/A952M
 ASME B30.26
 PAS1061
 Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-015-06	6	1.40	200	0.08
X-015-07	7, 8	2.50	150	0.20
X-015-10	10	4.00	50	0.30
X-015-13	13	6.70	35	0.70
X-015-16	16	10.00	20	1.20
X-015-20	20	16.00	10	2.10
X-015-22	22	19.00	6	3.50
X-015-26	26	26.50	3	4.80
X-015-32	32	40.00	2	9.00

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	D mm	K mm
X-015-06	6	15	18	7	45
X-015-07	7, 8	18	25	9	59
X-015-10	10	25	28	11	69
X-015-13	13	30	38	16	92
X-015-16	16	36	41	19	101
X-015-20	20	42	50	23	122
X-015-22	22	49	63	24	152
X-015-26	26	55	66	30	162
X-015-32	32	69	79	36	203

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-015-06	1/4	3000	200	0.17
X-015-07	5/16	5500	150	0.44
X-015-10	3/8	8800	50	0.66
X-015-13	1/2	14700	35	1.54
X-015-16	5/8	22000	20	2.64
X-015-20	3/4	35200	10	4.62
X-015-22	7/8	41800	6	7.71
X-015-26	1	58400	3	10.58
X-015-32	1-17/64	88185	2	19.84



Imperials Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	K inch
X-015-06	1/4	0.59	0.70	0.27	1.77
X-015-07	5/16	0.70	0.98	0.35	2.32
X-015-10	3/8	0.98	1.10	0.43	2.71
X-015-13	1/2	1.18	1.49	0.62	3.62
X-015-16	5/8	1.41	1.61	0.74	3.97
X-015-20	3/4	1.65	1.96	0.90	4.80
X-015-22	7/8	1.92	2.48	0.94	5.98
X-015-26	1	2.16	2.59	1.18	6.37
X-015-32	1-17/64	2.71	3.11	1.41	7.99

Grade 10 Eye Grab Hook



Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-1
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-041-06	6	1.40	100	0.20
X-041-07	7, 8	2.50	80	0.30
X-041-10	10	4.00	40	0.60
X-041-13	13	6.70	12	1.40
X-041-16	16	10.00	10	2.40
X-041-20	20	16.00	6	4.00
X-041-22	22	19.00	5	5.00
X-041-26	26	26.50	2	10.00
X-041-32	32	40.00	1	19.70

Metric Dimensions

Part Code	Chain Size mm	A mm	F mm	G mm	K mm	P mm
X-041-06	6	13	26	8	50	8
X-041-07	7, 8	16	30	9	62	10
X-041-10	10	20	40	13	82	13
X-041-13	13	26	52	16	107	17
X-041-16	16	30	57	20	132	21
X-041-20	20	40	73	24	147	23
X-041-22	22	42	70	26	164	26
X-041-26	26	50	100	32	207	33
X-041-32	32	62	130	42	266	42

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-041-06	1/4	3000	100	0.44
X-041-07	5/16	5500	80	0.66
X-041-10	3/8	8800	40	1.32
X-041-13	1/2	14700	12	3.08
X-041-16	5/8	22000	10	5.29
X-041-20	3/4	35200	6	8.81
X-041-22	7/8	41800	5	11.02
X-041-26	1	58400	2	22.26
X-041-32	1-17/64	88185	1	43.43


Imperial Dimensions

Part Code	Chain Size inch	A inch	F inch	G inch	K inch	P inch
X-041-06	1/4	0.51	1.02	0.31	1.97	0.31
X-041-07	5/16	0.63	1.18	0.35	2.40	0.39
X-041-10	3/8	0.78	1.57	0.51	3.23	0.51
X-041-13	1/2	1.02	2.05	0.69	4.21	0.67
X-041-16	5/8	1.81	2.24	0.78	5.19	0.82
X-041-20	3/4	1.49	2.87	0.94	5.78	0.91
X-041-22	7/8	1.49	2.75	1.02	6.45	1.02
X-041-26	1	1.97	3.94	1.29	8.14	1.29
X-041-32	1-17/64	2.44	5.11	1.65	10.47	1.65

Grade 10 Reeveable Link



Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-1
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-059-07	7, 8	2.50	40	0.40
X-059-10	10	4.00	20	0.80
X-059-13	13	6.70	10	1.50
X-059-16	16	10.00	8	2.40

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm	D mm	E mm
X-059-07	7, 8	99	80	65	15	15
X-059-10	10	125	100	80	19	18
X-059-13	13	168	136	108	25	22
X-059-16	16	198	158	124	27	26

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-059-07	5/16	5500	40	0.88
X-059-10	3/8	8800	20	1.76
X-059-13	1/2	14700	10	3.30
X-059-16	5/8	22000	8	5.29

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch	D inch	E inch
X-059-07	5/16	3.89	3.15	2.56	0.59	0.59
X-059-10	3/8	4.92	3.94	3.15	0.75	0.70
X-059-13	1/2	6.61	5.35	4.25	0.98	0.86
X-059-16	5/8	7.80	6.22	4.88	1.06	1.02

Grade 10 Eye Sling Hook with Latch

Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-2
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-044/S-07	7, 8	2.50	30	0.50
X-044/S-10	10	4.00	20	1.00
X-044/S-13	13	6.70	10	1.80
X-044/S-16	16	10.00	6	3.40
X-044/S-20	20	16.00	3	7.30
X-044/S-22	22	19.00	2	9.30
X-044/S-26	26	26.50	2	13.50
X-044/S-32	32	40.00	1	22.00

Metric Dimensions

Part Code	Chain Size mm	A mm	D mm	H mm	K mm	P1 mm	T mm
X-044/S-07	7, 8	25	12	23	98	28	20
X-044/S-10	10	32	15	31	121	36	23
X-044/S-13	13	40	18	38	152	40	27
X-044/S-16	16	50	22	45	185	44	32
X-044/S-20	20	61	27	64	230	54	48
X-044/S-22	22	51	31	63	245	76	52
X-044/S-26	26	65	35	80	279	77	60
X-044/S-32	32	88	40	86	352	114	65

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-044/S-07	5/16	5500	30	1.10
X-044/S-10	3/8	8800	20	2.20
X-044/S-13	1/2	14700	10	3.97
X-044/S-16	5/8	22000	6	7.50
X-044/S-20	3/4	35200	3	16.09
X-044/S-22	7/8	41800	2	20.50
X-044/S-26	1	58400	2	29.76
X-044/S-32	1-17/64	88184	1	48.50

Imperial Dimensions

Part Code	Chain Size inch	A inch	D inch	H inch	K inch	P1 inch	T inch
X-044/S-07	5/16	0.98	0.47	0.90	3.86	1.10	0.78
X-044/S-10	3/8	1.26	0.59	1.22	4.76	1.42	0.90
X-044/S-13	1/2	1.57	0.70	1.49	5.98	1.57	1.06
X-044/S-16	5/8	1.96	0.86	1.77	7.28	1.73	1.26
X-044/S-20	3/4	2.40	1.06	2.52	9.05	2.13	1.89
X-044/S-22	7/8	2.00	1.22	2.48	9.64	2.99	2.05
X-044/S-26	1	2.56	1.38	3.15	10.98	3.03	2.36
X-044/S-32	1-17/64	3.46	1.57	3.38	13.85	4.48	2.55

Grade 10 Clevis Sling Hook with Latch

Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-2
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-043/S-06	6	1.4	40	0.30
X-043/S-07	7, 8	2.5	30	0.60
X-043/S-10	10	4.0	15	1.20
X-043/S-13	13	6.7	8	2.30
X-043/S-16	16	10.0	6	3.90
X-043/S-20	20	16.0	3	8.60
X-043/S-22	22	19.0	2	8.60

Metric Dimensions

Part Code	Chain Size mm	A mm	H mm	K mm	P1 mm	T mm
X-043/S-06	6	6	23	97	23	15
X-043/S-07	7, 8	9	22	98	27	18
X-043/S-10	10	11	30	122	34	24
X-043/S-13	13	14	37	147	44	30
X-043/S-16	16	17	42	166	48	39
X-043/S-20	20	24	64	207	57	48
X-043/S-22	22	25	61	217	73	52

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-043/S-06	1/4	3000	40	0.66
X-043/S-07	5/16	5500	30	1.32
X-043/S-10	3/8	8800	15	2.64
X-043/S-13	1/2	14700	8	5.07
X-043/S-16	5/8	22000	6	8.59
X-043/S-20	3/4	35000	3	18.95
X-043/S-22	7/8	41500	2	18.95

Imperial Dimensions

Part Code	Chain Size inch	A inch	H inch	K inch	P1 inch	T inch
X-043/S-06	1/4	0.24	0.90	3.82	0.90	0.59
X-043/S-07	5/16	0.35	0.86	3.86	1.06	0.71
X-043/S-10	3/8	0.43	1.18	4.80	1.34	0.94
X-043/S-13	1/2	0.51	1.45	5.79	1.73	1.18
X-043/S-16	5/8	0.66	1.65	6.54	1.89	1.54
X-043/S-20	3/4	0.94	2.52	8.15	2.24	1.89
X-043/S-22	7/8	0.98	2.40	8.54	2.87	2.05

Grade 10 Eye Self Locking Hook

Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-3
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-025-07	7, 8	2.50	20	0.80
X-025-10	10	4.00	12	1.50
X-025-13	13	6.70	6	3.00
X-025-16	16	10.00	4	5.80
X-025-20	20	16.00	2	10.00
X-025-22	22	19.00	2	12.50
X-025-26	26	26.50	1	15.00

Metric Dimensions

Part Code	Chain Size mm	A mm	D mm	H mm	K mm	P mm	T mm
X-025-07	7, 8	25	11	24	136	34	20
X-025-10	10	32	13	30	167	44	26
X-025-13	13	40	16	39	207	51	30
X-025-16	16	50	21	49	252	60	36
X-025-20	20	60	23	65	290	70	53
X-025-22	22	70	24	63	319	80	49
X-025-26	26	80	25	69	343	99	56

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-025-07	5/16	5500	20	0.80
X-025-10	3/8	8800	12	1.50
X-025-13	1/2	14700	6	3.00
X-025-16	5/8	22000	4	5.80
X-025-20	3/4	35200	2	10.00
X-025-22	7/8	41800	2	12.50
X-025-26	1	58400	1	15.00

Imperial Dimensions

Part Code	Chain Size inch	A inch	D inch	H inch	K inch	P inch	T inch
X-025-07	5/16	0.98	0.43	0.94	5.35	1.34	0.78
X-025-10	3/8	1.26	0.51	1.18	6.57	1.73	1.02
X-025-13	1/2	1.57	0.63	1.53	8.15	2.00	1.18
X-025-16	5/8	1.96	0.82	1.93	9.92	2.36	1.41
X-025-20	3/4	2.36	0.90	2.56	11.41	2.75	2.08
X-025-22	7/8	2.75	0.94	2.48	12.56	3.15	1.93
X-025-26	1	3.15	0.98	2.72	13.50	3.89	2.20

Grade 10 Clevis Self Locking Hook

Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-3
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-026-06	6	1.40	40	0.40
X-026-07	7,8	2.50	20	0.90
X-026-10	10	4.00	15	1.40
X-026-13	13	6.70	6	3.00
X-026-16	16	10.00	4	5.00
X-026-20	20	16.00	2	11.00
X-026-22	22	19.00	2	12.80

Metric Dimensions

Part Code	Chain Size mm	A mm	H mm	K mm	P mm	T mm
X-026-06	6	6	19	93	28	15
X-026-07	7,8	9	24	119	34	20
X-026-10	10	11	30	142	44	26
X-026-13	13	14	39	178	51	30
X-026-16	16	18	49	213	60	36
X-026-20	20	21	65	244	70	53
X-026-22	22	24	63	273	80	49

Imperial Specifications


Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-026-06	1/4	3000	40	0.88
X-026-07	5/16	5500	20	1.98
X-026-10	3/8	8800	15	3.08
X-026-13	1/2	14700	6	6.61
X-026-16	5/8	22000	4	11.02
X-026-20	3/4	35000	2	24.25
X-026-22	7/8	41500	2	28.22

Imperial Dimensions

Part Code	Chain Size inch	A inch	H inch	K inch	P inch	T inch
X-026-06	1/4	0.24	0.75	3.66	1.10	0.59
X-026-07	5/16	0.35	0.94	4.68	1.33	0.78
X-026-10	3/8	0.43	1.18	5.59	1.73	1.02
X-026-13	1/2	0.51	1.54	7.00	2.00	1.18
X-026-16	5/8	0.70	1.93	8.38	2.36	1.41
X-026-20	3/4	0.83	2.56	9.60	2.75	2.08
X-026-22	7/8	0.94	2.48	10.74	3.15	1.93

Grade 10 Swivel Self Locking Hook with Ball Bearing

Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-3
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



This hook is designed to fully swivel while in use lifting a load.

Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-027N-06	6	1.40	20	0.70
X-027N-07	7, 8	2.50	12	1.20
X-027N-10	10	4.00	7	2.00
X-027N-13	13	6.70	4	4.10
X-027N-16	16	10.00	3	7.20
X-027N-20	20	16.00	2	13.00

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	D mm	H mm	K mm	P mm	T mm
X-027N-06	6	32	22	12	19	149	28	15
X-027N-07	7, 8	36	29	13	24	186	34	20
X-027N-10	10	41	34	16	30	218	44	26
X-027N-13	13	46	43	21	39	276	51	30
X-027N-16	16	61	50	23	49	329	60	36
X-027N-20	20	74	82	25	65	387	70	53

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-027N-06	1/4	3000	20	1.54
X-027N-07	5/16	5500	12	2.86
X-027N-10	3/8	8800	7	4.40
X-027N-13	1/2	14700	4	9.48
X-027N-16	5/8	22000	3	16.09
X-027N-20	3/4	35000	2	28.66


Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	D inch	H inch	K inch	P inch	T inch
X-027N-06	1/4	1.22	0.86	0.47	0.74	5.86	1.14	0.59
X-027N-07	5/16	1.41	1.14	0.55	0.94	7.32	1.34	0.78
X-027N-10	3/8	1.57	1.33	0.63	1.18	8.66	1.73	1.02
X-027N-13	1/2	1.81	1.69	0.86	1.53	10.51	2.04	1.18
X-027N-16	5/8	2.36	1.96	0.94	1.93	12.91	2.36	1.41
X-027N-20	3/4	2.95	3.22	1.02	2.44	15.27	3.54	1.88

Grade 10 Clevis Foundry Hook



Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-1
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-046-07	7, 8	2.50	25	0.95
X-046-10	10	4.00	12	1.80
X-046-13	13	6.70	8	3.60
X-046-16	16	10.00	5	6.40
X-046-20	20	16.00	2	11.20

Metric Dimensions

Part Code	Chain Size mm	A mm	H mm	K mm	P mm	T mm
X-046-07	7, 8	9	27	133	62	19
X-046-10	10	11	32	163	74	23
X-046-13	13	14	39	200	88	32
X-046-16	16	18	47	239	98	41
X-046-20	20	21	62	305	113	46

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-046-07	5/16	5500	25	2.09
X-046-10	3/8	8800	12	3.97
X-046-13	1/2	14700	8	7.93
X-046-16	5/8	22000	5	14.10
X-046-20	3/4	35200	2	24.70

Imperial Dimensions

Part Code	Chain Size inch	A inch	H inch	K inch	P inch	T inch
X-046-07	5/16	0.35	1.06	5.23	2.44	0.75
X-046-10	3/8	0.43	1.26	6.41	2.91	0.90
X-046-13	1/2	0.55	1.53	7.87	3.46	1.26
X-046-16	5/8	0.70	1.85	9.40	3.85	1.61
X-046-20	3/4	0.82	2.44	12.00	4.45	1.81

Grade 10 Clevis Shackle



Material: Grade 10 Alloy Steel
Intl. Standard: EN1677-1
 ASTM952/A952M
 ASME B30.26
 PAS1061
Paint Finish: Blue



Metric Specifications

Part Code	Chain Size mm	WLL t	Box Qty	Mass kg
X-066-07	7, 8	2.50	35	0.40
X-066-10	10	4.00	20	0.80
X-066-13	13	6.70	18	1.40
X-066-16	16	10.00	10	2.50

Metric Dimensions



Part Code	Chain Size mm	A mm	C mm	G mm	K mm	L mm	M mm	W mm
X-066-07	7, 8	9	79	34	59	35	16	33
X-066-10	10	11	93	40	78	48	20	37
X-066-13	13	14	118	44	98	64	22	49
X-066-16	16	18	141	54	112	69	28	60

Imperial Specifications

Part Code	Chain Size inch	WLL lbs	Box Qty	Mass lbs
X-066-07	5/16	5500	35	0.88
X-066-10	3/8	8800	20	1.76
X-066-13	1/2	14700	18	3.08
X-066-16	5/8	22000	10	5.51

Imperial Dimensions

Part Code	Chain Size inch	A inch	C inch	G inch	K inch	L inch	M inch	W inch
X-066-07	5/16	0.35	3.11	1.34	2.32	1.38	0.63	1.30
X-066-10	3/8	0.43	3.66	1.57	3.07	1.89	0.78	1.45
X-066-13	1/2	0.55	4.64	1.73	3.86	2.52	0.86	1.93
X-066-16	5/8	0.70	5.55	2.13	4.40	2.72	1.10	2.36





To suit: X-043/S, X-044/S



To suit: X-026, X-027N, X-025



To suit: X-015



To suit: All Yoke Clevis type hooks

Chain Sling Tags

According to BSEN818-4

Part Code
CT.10

Latch Kits to suit Sling Hooks

Part Code	Chain Size mm	Chain Size inch
X-P044-06	6	1/4
X-P044-07	7, 8	5/16
X-P044-10	10	3/8
X-P044-13	13	1/2
X-P044-16	16	5/8
X-P044-20	20	3/4
X-P044-22	22	7/8

Trigger Kits to suit Self Locking Hooks

Part Code	Chain Size mm	Chain Size inch
X-P025-06	6	7/32
X-P025-07	7, 8	1/4 - 5/16
X-P025-10	10	3/8
X-P025-13	13	1/2
X-P025-16	16	5/8
X-P025-20	20	3/4
X-P025-22	22	7/8
X-P025-26	26	1

Coupling Pin and Sleeve Set

Part Code	Chain Size mm	Chain Size inch
X-P015-07	7	1/4 - 5/16
X-P015-10	10	3/8
X-P015-13	13	1/2
X-P015-16	16	5/8
X-P015-20	20	3/4
X-P015-22	22	7/8
X-P015-26	26	1

Load Pin Kit

Part Code	Chain Size mm	Chain Size inch
X-P026-07	7	1/4 - 5/16
X-P026-10	10	3/8
X-P026-13	13	1/2
X-P026-16	16	5/8
X-P026-20	20	3/4
X-P026-22	22	7/8



William Hackett Sling App

New Update Available Now !

NEW FEATURES

- New currencies
(GBP, EUR & USD)
- Imperial units option
- Improved
functionality
- Hack8 range added
- Updated images

**COMPATIBLE ON APPLE AND ANDROID MOBILE DEVICES
WEB APP ALSO AVAILABLE**

**Search for William Hackett Sling App in your app store
to get the latest version**

FLYER.006




William Hackett

LASHING EQUIPMENT



Grade 8 Lashing Chain

Material: Grade 8
Intl. Standard: BSEN12195-3
Paint Finish: Black



Metric Specifications

Part Code	Chain Size mm	Lashing Capacity kN	Kgs per metre	Metres per drum
MB8.080	8	40	1.40	350
MB8.100	10	63	2.20	250
MB8.130	13	100	3.80	150
MB8.160	16	160	5.60	100
AS1.200.5	20	245	9.10	60
AS1.220.5	22	294	11.00	50
AS1.260.5	26	415	15.30	30
AS1.320.5	32	618	23.20	25

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm
MB8.080	8	8	24	12.0
MB8.100	10	10	30	15.0
MB8.130	13	13	39	19.0
MB8.160	16	16	48	24.0
AS1.200.5	20	20	60	74.0
AS1.220.5	22	22	66	81.4
AS1.260.5	26	26	78	96.2
AS1.320.5	32	32	96	118.0

Imperial Specifications

Part Code	Chain Size inch	Lashing Capacity kN	lbs per ft	feet per drum
MB8.080	5/16	40	0.94	1148
MB8.100	3/8	63	1.48	820
MB8.130	1/2	100	2.55	492
MB8.160	5/8	160	3.76	328
AS1.200.5	3/4	245	6.11	196
AS1.220.5	7/8	294	7.39	164
AS1.260.5	1	415	10.28	98
AS1.320.5	1-17/64	618	15.59	82


Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch
MB8.080	5/16	0.31	0.94	0.47
MB8.100	3/8	0.39	1.18	0.59
MB8.130	1/2	0.51	1.53	0.74
MB8.160	5/8	0.63	1.89	0.94
AS1.200.5	3/4	0.78	2.36	2.91
AS1.220.5	7/8	0.86	2.59	3.20
AS1.260.5	1	1.02	3.07	3.78
AS1.320.5	1-17/64	1.26	3.78	4.64

Temperature of Chain	Reduction in load Limit ¹ while heated	Permanent Reduction in Working Load Limit ²
-40°C - 200°C	None	None
over 200°C to 300°C	10%	None
over 300°C to 400°C	25%	None
over 400°C	DO NOT USE	

Ratchet Loadbinder

Material: Grade 8
Intl. Standard: BSEN12195-3
Paint Finish: Red



Metric Specifications

Part Code	Chain Size mm	Lashing Capacity kN	Mass kg
M88.080.R	8	40	4.80
M88.100.R	10	63	5.60
M88.130.R	13	100	6.50
M88.160.R	16	160	10.50

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm	E mm	E1 mm	G mm
M88.080.R	8	364	33	66	605	808	12
M88.100.R	10	364	33	66	606	809	16
M88.130.R	13	364	33	66	659	862	18
M88.160.R	16	364	33	66	735	896	20

Imperial Specifications


Part Code	Chain Size inch	Lashing Capacity kN	Mass lbs
M88.080.R	5/16	40	10.58
M88.100.R	3/8	63	12.34
M88.130.R	1/2	100	14.33
M88.160.R	5/8	160	23.14

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch	E inch	E1 inch	G inch
M88.080.R	5/16	14.33	1.30	2.59	23.81	31.81	0.47
M88.100.R	3/8	14.33	1.30	2.59	23.85	31.85	0.63
M88.130.R	1/2	14.33	1.30	2.59	25.94	33.93	0.70
M88.160.R	5/8	14.33	1.30	2.59	28.93	35.27	0.78

Grade 8 Clevis Grab Hook

Material: Grade 8
Intl. Standard: BSEN12195-3
Paint Finish: Red



Metric Specifications

Part Code	Chain Size mm	Lashing Capacity kN	Mass kg
MB8.080.GH	7, 8	40	0.33
M88.100.GH	10	63	0.88
M88.130.GH	13	100	1.85
M88.160.GH	16	160	3.24

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	E mm	L mm	M mm
MB8.080.GH	7, 8	9.5	35.0	11.0	89.0	49.5
M88.100.GH	10	12.5	42.5	13.2	126.5	70.5
M88.130.GH	13	15.0	53.0	16.5	163.5	90.0
M88.160.GH	16	19.5	65.5	19.2	183.5	112.5

Imperial Specifications


Part Code	Chain Size inch	Lashing Capacity kN	Mass lbs
MB8.080.GH	5/16	40	0.73
M88.100.GH	3/8	63	1.94
M88.130.GH	1/2	100	4.07
M88.160.GH	5/8	160	7.14

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	E inch	L inch	M inch
MB8.080.GH	5/16	0.37	1.37	0.43	3.50	1.94
M88.100.GH	3/8	0.49	1.67	0.52	4.98	2.77
M88.130.GH	1/2	0.59	2.08	0.65	6.43	3.54
M88.160.GH	5/8	0.76	2.57	0.75	7.22	4.43

Grade 8 Clevis Sling Hook with Latch

Material: Grade 8
 Intl. Standard: BSEN12195-3
 Paint Finish: Red



Metric Specifications

Part Code	Chain Size mm	Lashing Capacity kN	Mass kg
MB8.080.SH	7, 8	40	0.52
M88.100.SH	10	63	1.05
M88.130.SH	13	100	2.00
M88.160.SH	16	160	3.70

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm	E mm	H mm	K mm
MB8.080.SH	7, 8	9.50	37.0	37.0	29.0	32.5	85.5
M88.100.SH	10	12.50	49.0	46.0	39.0	35.0	104.0
M88.130.SH	13	15.00	56.5	56.0	47.0	42.5	128.0
M88.160.SH	16	19.50	70.5	60.0	55.0	54.0	150.0

Imperial Specifications


Part Code	Chain Size inch	Lashing Capacity kN	Mass lbs
MB8.080.SH	5/16	40	1.14
M88.100.SH	3/8	63	2.31
M88.130.SH	1/2	100	4.41
M88.160.SH	5/8	160	8.15

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch	E inch	H inch	K inch
MB8.080.SH	5/16	0.37	1.45	1.45	1.14	1.28	3.36
M88.100.SH	3/8	0.49	1.93	1.81	1.53	1.37	4.09
M88.130.SH	1/2	0.59	2.22	2.20	1.85	1.67	5.04
M88.160.SH	5/8	0.76	2.77	2.36	2.16	2.12	5.90

Grade 8 Clevis Sling Hook no Latch

Material: Grade 8
 Intl. Standard: BSEN12195-3
 Paint Finish: Red



Metric Specifications

Part Code	Chain Size mm	Lashing Capacity kN	Mass kg
MB8.080.SHNL	7 & 8	40	0.52
MB8.100.SHNL	10	63	1.05
MB8.130.SHNL	13	100	2.00

Metric Dimensions

Part Code	Chain Size mm	A mm	B mm	C mm	E mm	H mm	K mm
MB8.080.SHNL	7 & 8	9.50	37.0	37.0	29.0	32.5	85.5
MB8.100.SHNL	10	12.50	49.0	46.0	39.0	35.0	104.0
MB8.130.SHNL	13	15.00	56.5	56.0	47.0	42.5	128.0

Imperial Specifications


Part Code	Chain Size inch	Lashing Capacity kN	Mass lbs
MB8.080.SHNL	5/16	40	1.14
MB8.100.SHNL	3/8	63	2.31
MB8.130.SHNL	1/2	100	4.41

Imperial Dimensions

Part Code	Chain Size inch	A inch	B inch	C inch	E inch	H inch	K inch
MB8.080.SHNL	5/16	0.37	1.45	1.45	1.14	1.28	3.36
MB8.100.SHNL	3/8	0.49	1.93	1.81	1.53	1.37	4.09
MB8.130.SHNL	1/2	0.59	2.22	2.20	1.85	1.67	5.04

Grade 8 Weld On 'D' Ring

Material: Grade 8
Intl. Standard: BSEN12195-3
Paint Finish: Yellow



Metric Specifications

Part Code	WLL t	Mass kg
8-H08-001	1.12	0.50
8-H08-003	3.15	0.90
8-H08-005	5.30	1.30
8-H08-008	8.00	2.60
8-057-10T	10.00	3.10
8-0573-20T	20.00	6.50

Metric Dimensions

Part Code	A mm	B mm	D mm	M mm	H mm
8-H08-001	41	78.5	13.0	37.0	33.5
8-H08-003	45	94.0	17.0	42.5	39.0
8-H08-005	55	118.0	22.0	61.0	49.0
8-H08-008	70	141.0	26.5	70.5	54.0
8-057-10T	82	125.0	30.0	75.0	73.0
8-0573-20T	100	180.0	25.0	91.0	70.0

Imperial Specifications

Part Code	WLL lbs	Mass lbs
8-H08-001	2470	1.10
8-H08-003	6900	1.98
8-H08-005	11680	2.86
8-H08-008	17600	5.73
8-057-10T	22000	6.80
8-0573-20T	44000	14.33

Imperial Dimensions

Part Code	A inch	B inch	D inch	M inch	H inch
8-H08-001	1.61	3.09	0.51	1.45	1.32
8-H08-003	1.77	3.70	0.67	1.67	1.53
8-H08-005	2.16	4.64	0.86	2.40	1.93
8-H08-008	2.75	5.55	1.04	2.77	2.12
8-057-10T	3.23	4.92	1.18	2.95	2.87
8-0573-20T	3.94	7.08	0.98	3.58	2.75

Terms and Conditions

1. DEFINITIONS & INTERPRETATION

1.1 In these conditions:

- "Buyer"** means the person, firm or company who purchases Goods from the Company.
- "Company"** shall mean either William Hackett Chain Products Limited (a company registered in England & Wales under number 09679024 or William Hackett Lifting Products Limited (a company registered in England & Wales under number 09679580 or both those companies as may be required pursuant to the terms of a Contract, and notwithstanding that each of those companies use the brand name of "William Hackett".
- "Conditions"** means the terms and conditions applied by the Company for the conduct of its business and sale of Goods and as recorded herein or otherwise amended and for the time being in force or otherwise as may be amended in accordance with Condition 2.3
- "Contract"** means any contract between the Company and the Buyer for the sale and purchase of Goods incorporating these Conditions or otherwise such terms as may have been agreed between the parties and recorded in writing.
- "Delivery Point"** means the place specified by the Buyer or the Company where delivery or collection of Goods is to be made pursuant to condition 4 herein.
- "Goods"** means any goods and/or services (including any part or parts of them), which the Company provides or supplies to the Buyer in accordance with a Contract.
- A reference to a law is a reference to it as it is in force for the time being taking account of any amendment, extension, application or re-enactment and includes any subordinate legislation for the time being in force made under it.
- Words in the singular include the plural and in the plural include the singular.
- A reference to one gender includes a reference to the other gender.
- Section and Condition headings do not affect the interpretation of these Conditions.

2. APPLICATION OF THESE CONDITIONS

- Subject to any variation under Condition 2.3, a Contract shall be on these Conditions to the exclusion of all other terms and conditions (including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order, specification or other document).
- No terms or conditions endorsed on, delivered with or contained in the Buyer's purchase order, confirmation of order, specification, correspondence or other document shall form part of a Contract simply as a result of such document being referred to in such Contract.
- These Conditions apply to all the Company's sales and business transactions, and any variation to these Conditions and any representations about the Goods shall have no effect unless expressly agreed in writing and signed by a director or the secretary of the Company. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition shall exclude or limit the Company's liability for fraudulent misrepresentation.
- Each purchase order or acceptance by the Buyer of a quotation issued by the Company for the supply of Goods shall be deemed to be an offer by the Buyer to purchase such Goods subject to these Conditions or otherwise in accordance with a Contract.
- Where the Buyer places a purchase order verbally the Company will issue an electronic confirmation of such order and the Buyer shall be bound by the transaction detailed therein. The onus shall be on the Buyer to verify that the information provided by the Company accords with the Buyer's requirements.

3. DESCRIPTION OF GOODS AND INSTRUCTIONS FOR USE

- Subject to Condition 3.3, the description of Goods shall be as set out in the Company's published catalogue or other literature for the time being in force, quotation or acknowledgement of order.
- All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods described in them. Such samples or other information shall not form part of a Contract and unless otherwise agreed any supply of Goods is not a sale by sample.
- In accordance with its statutory obligations the Company shall provide instructions for use, periodic inspection, maintenance and disposal of Goods. Such information may be delivered in hard copy together with Goods and / or may be made available in electronic format issued by e-mail or as a download option from its website. The Company does not warrant the integrity or accuracy of product design, performance, use, or periodic inspection or maintenance information provided by its suppliers or other third parties.
- Where the Buyer intends to incorporate Goods supplied by the Company into a product or system to be assembled or manufactured by the Buyer or customers of the Buyer, it shall be the responsibility of the Buyer to determine the suitability of such Goods for the intended purpose.

4. FREE SAMPLES

- Where the Company issues samples of Goods free of charge, such Goods shall be for inspection only and not for use or re-sale by the Buyer, and such samples shall remain the property of and be returned to the Company upon demand.
- Where the Company provides Goods on a sale or return basis, such Goods shall not be used or re-sold by the Buyer and shall remain the property of the Company until such time as the Buyer has accepted and made payment for the Goods or otherwise confirmed that it wishes to purchase the Goods under its credit arrangements with the Company.

5. COLLECTION AND DELIVERY

- Unless otherwise agreed in writing by the Company, delivery of Goods shall take place when such Goods are collected by or delivered to a place specified by order of the Buyer.
- Unless otherwise agreed in writing by the Company, any dates specified by the Company for delivery of the Goods are intended to be an estimate and time for delivery shall not be made of the essence by notice. If no dates are so specified, delivery shall be within a reasonable time.
- Where no delivery date is specified by the Buyer and agreed to in writing by the Company, subject to the other provisions of these Conditions the Company shall not be liable for any direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and similar loss), costs, damages, charges or expenses caused directly or indirectly by any delay in the delivery of Goods (even if caused by the Company's negligence), nor shall any delay entitle the Buyer to terminate or rescind a Contract unless such delay exceeds 60 days.
- The Buyer shall provide at the delivery point and at its expense adequate and appropriate equipment and competent manual labour for the safe handling and unloading Goods.
- The Company may deliver Goods by separate instalments. Each separate instalment shall be invoiced and paid for in accordance with the provisions of a Contract.
- Subject to Conditions 12 and 13, each instalment shall be a separate Contract and no cancellation or termination of any one Contract relating to an instalment shall entitle the Buyer to repudiate or cancel any other Contract or instalment.

6. NON-DELIVERY

- The quantity of any consignment of Goods as recorded by the Company on dispatch from the Company's place of business shall be conclusive evidence of the quantity received by the Buyer on delivery unless the Buyer can provide conclusive evidence proving the contrary.
- The Company shall not be liable for any non-delivery of Goods (even if caused by the Company's negligence) unless the Buyer gives written notice to the Company of the non-delivery within 3 days of the date when the Goods would in the ordinary course of events have been received.
- Unless a Contract requires otherwise, Goods shall be delivered by carriers engaged by the Company, however, the Company shall not warrant the performance of any carrier so employed. Without prejudice to the provisions of Conditions 6.2, 6.4 and 6.5, in the event of non-delivery of Goods within a reasonable time or at a time specified in a Contract, and if so required by the Buyer, the Company shall arrange recovery of and re-stock such Goods.
- The Company's liability for non-delivery of Goods within a reasonable time or at a time specified in a Contract shall be limited to replacing such Goods within a reasonable time or issuing a credit note at the pro rata Contract price or rate against any invoice raised for the Goods.
- The Buyer's entitlement to compensation for non-delivery of Goods within a reasonable time or at a time specified in a Contract shall be limited to the value of any compensation which the carrier is obliged to provide pursuant to its standard terms and conditions of trading.
- If the Company incurs a loss or additional expense as a consequence of any abortive delivery, re-stocking and storage, or re-delivery of Goods due to the unwillingness or inability of the Buyer to accept delivery of such Goods, the Company shall be entitled to recover such loss or expense from the Buyer.

7. RISK / TITLE

- Goods shall be at the risk of the Buyer from the time of delivery or collection.
- Ownership of Goods shall not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of such Goods.
- Until ownership of Goods has passed to the Buyer, the Buyer shall:
- (a) hold such Goods on a fiduciary basis as the Company's bailee;
 - (b) store such Goods (at no cost to the Company) separately from all other goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property;
 - (c) not destroy, deface or obscure any identifying mark or packaging on or relating to such Goods; and
 - (d) maintain such Goods in satisfactory condition and keep them insured on the Company's behalf for their full value and replacement cost against all risks to the reasonable satisfaction of the Company.
- On request the Buyer shall produce the policy or other evidence of insurance to the Company.
- The Buyer's right to possession of Goods shall terminate immediately if:
- (a) the Buyer has a bankruptcy order made against him or makes an arrangement or composition with his creditors, or otherwise takes the benefit of any statutory provision for the time being in force for the relief of insolvent debtors, or (being a body corporate) convenes a meeting of creditors (whether formal or informal), or enters into liquidation (whether voluntary or compulsory) except a solvent voluntary liquidation for the purpose only of reconstruction or amalgamation, or has a receiver and/or manager, administrator or administrative receiver appointed of its undertaking or any part thereof, or documents are filed with the court for the appointment of an administrator of the Buyer or notice of intention to appoint an administrator is given by the Buyer or its directors or by a qualifying floating charge holder (as defined in paragraph 14 of Schedule B1 to the Insolvency Act 1986), or a resolution is passed or a petition presented to any court for the winding up of the Buyer or for the granting of an administration order in respect of the Buyer, or any proceedings are commenced relating to the insolvency or possible insolvency of the Buyer; or
 - (b) the Buyer suffers or allows any execution, whether legal or equitable, to be levied on his/its property or obtained against him it, or fails to observe or perform any of his/its obligations under a Contract or any other agreement between the Company and the Buyer, or is unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986 or the Buyer ceases to trade; or
- (c) the Buyer encumbers or in any way charges any of such Goods.
- The Company shall be entitled to recover payment for Goods notwithstanding that ownership of any of such Goods has not passed from the Company to the Buyer.
- The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where Goods are or may be stored in order to inspect them, or, where the Buyer's right to possession has terminated, to recover them.
- Where the Company is unable to determine whether any goods are Goods in respect of which the Buyer's right to possession has terminated, the Buyer shall be deemed to have sold all Goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.
- On termination of the Contract, howsoever caused, the Company's (but not the Buyer's) rights contained in this Condition 7 shall remain in effect.

8. PRICE

- Subject to Condition 8.2 and unless it shall be a term of a Contract or otherwise agreed by the Company in writing, the price for Goods:
- (a) shall be the price set out in the Company's price list published for the time being in force; and
 - (b) be exclusive of any value added tax and all costs or charges in relation to carriage, handling at point of delivery, export and import duties, and insurance, all of which amounts the Buyer shall pay in addition to the published price when it is due to pay for such Goods.
- The Company shall be entitled to alter and increase the price of Goods to be supplied under a Contract where:
- (a) the cost of its raw materials or suppliers charges increase beyond the Company's control; or
 - (b) the cost of delivery or charges levied by carriers increase beyond the Company's control; or
 - (c) any increase in export or import duties occur; or
 - (d) the Buyer reduces the scope or quantity of the Goods it has agreed to purchase under a Contract.

9. PAYMENT

- Unless different payment terms have been agreed pursuant to a Contract, the payment terms under this Condition 9. shall apply.
- Subject to Condition 9.6, payment of the price for Goods is due in pounds sterling or US dollars or euros (as cited in any Contract or quotation issued by the Company), and shall be payable:
- (a) where a credit facility has been granted by the Company, within 30 days from the end of the month in which such Goods are invoiced; or
 - (b) by pre-payment before collection by or delivery to the Buyer.
- Goods may be invoiced at time of collection or dispatch for delivery, or at any time after such events. Time for payment shall be of the essence.
- The Buyer shall:
- (a) notify the Company of any errors in the charges made by the Company or other queries on invoices issued by the Company to the Buyer as soon as reasonably practicable but in any event prior to the date by which payment is due to or expected by the Company; and
 - (b) make payment to the Company of such sum as may be due under any invoice issued by the

Terms and Conditions

- Company subject to the Buyer lawfully withholding only that sum which relates to any product or service provided by the Company which the Buyer (acting properly and reasonably in the circumstances), claims is not in accordance with a Contract .
- 9.6 No payment shall be deemed to have been received until the Company or its bank has received cleared funds.
- 9.7 All payments payable to the Company under a Contract shall become due immediately on its termination despite any other provision.
- 9.8 Subject to Condition 9.5, the Buyer shall make all payments due under a Contract in full without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Buyer has a valid court order requiring an amount equal to such deduction to be paid by the Company to the Buyer.
- 9.9 If the Buyer fails to pay for Goods within 30 days from the end of the month in which Goods are invoiced, the Company may suspend delivery of any Goods ordered by the Buyer under a Contract or any other agreement between the Company and the Buyer.
- 10. QUALITY**
- 10.1 Where the Company is not the manufacturer of Goods supplied to the Buyer, the Company shall use reasonable endeavour to transfer to the Buyer the benefit of any warranty or guarantee given to the Company or provided by the original supplier or manufacturer of such Goods.
- 10.2 Without prejudice to any statutory rights, and subject to condition 3.3 and the Buyer's compliance with any instructions for use, handling, storage, periodic inspection and maintenance of the Goods and the other provisions of these Conditions, the Company warrants that on delivery Goods shall be in accordance with the product and the performance specifications published or distributed by the Company, of merchantable quality, and for a period of twelve months from the date of delivery Goods shall:
- (a) be of satisfactory quality within the meaning of the Sale of Goods Act 1979; and
- (b) be reasonably fit for any specified purpose for which such Goods are being sold and purchased provided always that the Buyer had made known that purpose to the Company in writing and the Company has confirmed in writing that it is reasonable for the Buyer to rely on the capability of such Goods based upon the skill and judgement of the Company.
- 10.3 The Company shall not be liable for a breach of any of the warranties in Condition 10.2 unless:
- (a) the Buyer gives written notice of the defect to the Company, and, if the defect is as a result of damage in transit to the carrier, within 7 days of the time when the Buyer discovers or ought to have discovered such defect; and
- (b) the Company is given a reasonable opportunity after receiving the notice of examining such Goods.
- 10.4 The Company shall not be liable for a breach of any of the warranties in Condition 10.2 if:
- (a) the Buyer makes any further use of such Goods after giving such notice; or
- (b) the defect arises because the Buyer failed to comply with any statutory requirements or follow the Company's oral or written instructions or manufacturers' requirements and recommendations as to the storage, installation, commissioning, use, periodic inspection or maintenance of the Goods or (if there are none) good trade practice; or
- (c) the Buyer alters or repairs such Goods without the written consent of the Company; or
- (d) the Buyer exceeds the use, performance and other parameters in respect of the Goods set out in the declaration of conformity or manufacturer's certificate issued by the Company.
- 10.5 Subject to Conditions 10.3 and 10.4, if any of the Goods do not conform with any of the warranties in Condition 10.2 the Company shall at its option, repair or replace such Goods (or the defective part) or refund the price of such Goods at the pro rata Contract rate provided that, if the Company so requests, the Buyer shall return the Goods or the part of such Goods which is defective to the Company.
- 10.6 If the Company complies with Condition 10.5 it shall have no further liability for a breach of any of the warranties in Condition 10.2 in respect of such Goods.
- 11. PRODUCT AND PACKAGING WASTE PROCESSING AND DISPOSAL**
- 11.1 The Company and the Buyer shall each be responsible for compliance with any statutory requirements applicable in the country or location to which Goods shall be produced, delivered, stored or used for product and waste packaging, recycling, recovery and disposal.
- 12. VARIATIONS**
- 12.1 The Buyer shall be entitled to amend a purchase order providing such amendment shall be made and accepted by the Company in writing, and subject to the Buyer compensating the Company for any additional cost it may incur or be entitled to charge as a consequence of implementing such variation.
- 12.2 The Company may vary a purchase order if for any reason it is unable to supply Goods provided always that the Company shall have the opportunity to supply alternate Goods of equal quality and capability as the Goods originally ordered by the Buyer.
- 13. CANCELLATION OF CONTRACTS AND REFUNDS POLICY**
- 13.1 Without prejudice to any other provision of these Conditions or any rights available to the parties, the Buyer and the Company shall each have the right to cancel a Contract in whole or in part by giving written notice to the other whereupon all work under such Contract (or the cancelled part) shall be discontinued.
- 13.2 Where a Contract is cancelled by the Buyer, the Buyer shall pay to the Company all reasonable and proportionate costs as it may have incurred in performing such Contract to the point of cancellation, including the value of Goods previously supplied, work done and services performed under the Contract.
- 13.3 Where a Contract is cancelled by the Company by virtue of its inability to provide Goods, the Company shall be entitled to invoke the provisions of Condition 12.2 or otherwise the Company shall be under no obligation to compensate the Buyer for any loss or expense arising out of such cancellation.
- 13.4 Without prejudice to Condition 13.2, if a Buyer wishes to cancel a Contract and return Goods to the Company, the Company may at its discretion accept a return of such Goods and make a refund to the Buyer provided:
- (a) the Goods have not been used, altered or damaged, and are returned to the Company in good condition, within their original packaging and with all associated documentation;
- (b) the Goods are capable of being resold without modification or can be easily modified so as to be capable of being resold;
- (c) the Buyer shall arrange and pay for the return carriage and delivery of the Goods to the Company;
- (d) the Buyer shall pay the delivery charge levied by the Company for the supply of the Goods together with a minimum handling charge calculated as to 20% of the value of the Goods returned by the Buyer and accepted by the Company; and
- (e) any refund paid to or credited to the Buyer's account with the Company shall have regard to the charges that the Company may levy pursuant to Condition 13.4 (d).

14. LIMITATION OF LIABILITY

- 14.1 The Company's liability for accidental death or accidental personal injury and accidental loss or accidental damage to material property shall be limited to £1,000,000 per claim or series of claims arising out of one event in respect of such loss, and the Buyer shall be responsible for making its own arrangements for the insurance of any excess loss beyond the prescribed limit.
- 14.2 Subject to Conditions 5, 6 and 10, the following provisions of this section 14 set out the entire financial liability of the Company (including any liability for the acts or omissions of its employees, agents and subcontractors) to the Buyer in respect of:
- (a) any breach of these Conditions;
- (b) any use made or resale by the Buyer of any Goods, or of any product incorporating any of such Goods; and
- (c) any representation, statement or tortious act or omission including negligence arising under or in connection with a Contract.
- 14.3 All warranties, conditions and other terms implied by statute or common law (save for the conditions implied by section 12 of the Sale of Goods Act 1979) shall, to the fullest extent permitted by law, be excluded from a Contract.
- 14.4 Nothing in these Conditions excludes or limits the liability of the Company:
- (a) for death or personal injury caused by the Company's negligence; or
- (b) for any matter which it would be illegal for the Company to exclude or attempt to exclude its liability; or
- (c) for fraud or fraudulent misrepresentation.
- 14.5 Subject to Conditions 14.3 and 14.4, the Company's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of a Contract shall be limited to £1,000,000.

15. INTELLECTUAL PROPERTY

- 15.1 All designs, inventions, patents, know how, new technology, improvements and all similar matters made, designed or developed by or on behalf of the Company pertaining to Goods or other aspects of a Contract shall be the property of the Company or its suppliers as the case may be.
- 15.2 All material, drawings, patterns, gauges, samples, specifications or other technical data prepared by or on behalf of the Company shall be and shall at all times remain the sole property of the Company or its suppliers as the case may be.

16. DATA PROTECTION, COMMUNICATIONS AND PRIVACY RIGHTS

- 16.1 The Company and the Buyer shall each comply with their statutory obligations in relation to the collection, recording, use, processing, storage and retention of data, communications and the privacy rights of the other party and its/their employees, other representatives and business stakeholders.
- 16.2 The Buyer shall ensure the Company is permitted to communicate with its employees, other authorised representatives and business stakeholders as may be necessary to enable the conduct of business between the parties and in connection with any Contract.
- 16.3 Save for their respective compliance with any statutory requirement or lawful entitlement, the Company and the Buyer shall cease to collect, use, process, store or hold any data pertaining to the other party or its employees, other authorised representatives and business stakeholders upon receipt of notification of their withdrawing consent for such purpose.

17. ASSIGNMENT

- 17.1 The Company may assign the Contract or any part of it to any person, firm or company.
- 17.2 The Buyer shall not be entitled to assign the Contract or any part of it without the prior written consent of the Company.

18. FORCE MAJEURE

- 18.1 The Company reserves the right to defer the date of delivery of Goods or to cancel a Contract or reduce the volume of Goods ordered by the Buyer (without liability to the Buyer), if it is prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Company including, without limitation, acts of God, governmental actions, war or national emergency, acts of terrorism, protests, riot, civil commotion, fire, explosion, flood, epidemic, lock-outs, strikes or other labour disputes (whether or not relating to either party's workforce), or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate or suitable materials, provided that, if the event in question continues for a continuous period in excess of 60 days, the Buyer shall be entitled to give notice in writing to the Company to terminate such Contract.

19. GENERAL

- 19.1 Each right or remedy of the Company under a Contract is without prejudice to any other right or remedy of the Company whether under such Contract or not.
- 19.2 If any provision of a Contract is found by any court, tribunal or administrative body of competent jurisdiction to be wholly or partly illegal, invalid, void, voidable, unenforceable or unreasonable it shall to the extent of such illegality, invalidity, voidness, voidability, unenforceability or unreasonableness be deemed severable and the remaining provisions of such Contract and the remainder of such provision shall continue in full force and effect.
- 19.3 Failure or delay by the Company in enforcing or partially enforcing any provision of a Contract shall not be construed as a waiver of any of its rights under such Contract.
- 19.4 Any waiver by the Company of any breach of, or any default under, any provision of a Contract by the Buyer shall not be deemed a waiver of any subsequent breach or default and shall in no way affect the other terms of such Contract.
- 19.5 The parties to a Contract do not intend that any term of such Contract shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.
- 19.6 The formation, existence, construction, performance, validity and all aspects of any Contract shall be governed by English law and the parties shall submit to the exclusive jurisdiction of the English courts.



e: liftingsales@williamhackett.co.uk

www.williamhackett.co.uk

t: 01665 604200 f: 01665 604204

William Hackett Lifting Products Limited

Oak Drive, Lionheart Enterprise Park

Alnwick, Northumberland

United Kingdom

NE66 2EU